



MIR: Material Info



The Material Information Affecting this Property
Monday 24th August 2026



EASTON, WELLS, BA5

Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS
01749 372200
sheptonmallet@cooperandtanner.co.uk
cooperandtanner.co.uk



Property

Type:	Semi-Detached
Bedrooms:	3
Floor Area:	957 ft ² / 89 m ²
Plot Area:	0.03 acres
Council Tax :	Band C
Annual Estimate:	£2,276
Title Number:	ST98520

Tenure: Freehold

Local Area

Local Authority:	Somerset
Conservation Area:	No
Flood Risk:	
• Rivers & Seas	Very low
• Surface Water	Very low

Estimated Broadband Speeds
(Standard - Superfast - Ultrafast)

14 mb/s	80 mb/s	1000 mb/s

Mobile Coverage:
(based on calls indoors)



Satellite/Fibre TV Availability:



Planning History This Address

COOPER
AND
TANNER


Planning records for: *Easton, Wells, BA5*

Reference - 2014/0156/HSE	
Decision:	Approval with Conditions
Date:	03rd February 2014
Description:	Alterations to rear roof design

Planning records for: *Laburnum House Cheddar Road Easton Wells Somerset BA5 1EA*

Reference - 2010/0593	
Decision:	Approval
Date:	05th May 2010
Description:	Application for a non-material amendment to planning permission 117820/000 (amend window type) (DEL)

Reference - 117820/000	
Decision:	Approval with Conditions
Date:	19th August 2004
Description:	Single storey front extension and pitched roofs added to dormers (DEL)



Property

EPC - Additional Data

COOPER
AND
TANNER

Additional EPC Data


Property Type:	House
Build Form:	Detached
Transaction Type:	Marketed sale
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Glazing Type:	Double glazing installed during or after 2002
Previous Extension:	1
Open Fireplace:	0
Ventilation:	Natural
Walls:	Granite or whinstone, as built, no insulation (assumed)
Walls Energy:	Very Poor
Roof:	Pitched, 250 mm loft insulation
Roof Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, room thermostat and TRVs
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Solid, no insulation (assumed)
Total Floor Area:	89 m ²

Flood Risk

Surface Water - Flood Risk

COOPER
AND
TANNER

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change

COOPER
AND
TANNER

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

Flood Risk

Rivers & Seas - Flood Risk

COOPER
AND
TANNER

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change

COOPER
AND
TANNER

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

Maps

Conservation Areas

COOPER
AND
TANNER

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas



Westbury sub Mendip



Wells



Mendip Hospital



Dinder



Wedmore



Croscombe




Shepton Mallet

Maps

Landfill Sites

COOPER
AND
TANNER


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Disused Easton And Wokey Cutting-Easton, Wells, Somerset	Historic Landfill	
2	Knowle Lane-Wookey	Historic Landfill	
3	St Cuthberts Paper Mill-Wells, Haybridge, Somerset	Historic Landfill	
4	Milton Hill-Lime Kiln Lane, Milton Hill, Wells	Historic Landfill	
5	Lower Pitts Farm-Priddy, Wells, Somerset	Historic Landfill	
6	Burcott Road-Wells, Norfolk	Historic Landfill	
7	Hardmead Lane-Draycott, Cheddar, Somerset	Historic Landfill	
8	OS Plots 1100 And 0217-Latches Lane, Draycott, Cheddar, Somerset	Historic Landfill	
9	Latches Lane-Draycott, Cheddar, Somerset	Historic Landfill	
10	Lewis Drove-Panborough, Wells, Somerset	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1

Rodney and Westbury Ward

2

Wookey and St. Cuthbert Out West Ward

3

Wells St. Cuthbert's Ward

4

Wells Central Ward

5

Wells St. Thomas' Ward

6

St. Cuthbert Out North Ward

7

Chewton Mendip and Ston Easton Ward

8

Cheddar and Shipham Ward

9



Croscombe and Pilton Ward

10


Wedmore and Mark Ward

What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).



Carbon Content:	VARIABLE	Soil Texture:	SAND TO SANDY LOAM
Parent Material Grain:	RUDACEOUS	Soil Depth:	DEEP-INTERMEDIATE
Soil Group:	LIGHT(SANDY) TO MEDIUM(SANDY)		




C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area

Masts & Pylons

COOPER
AND
TANNER



- Key:**
-  Power Pylons
 -  Communication Masts

Maps

Listed Buildings

COOPER
AND
TANNER

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1295207 - Easton House	Grade II	0.1 miles
 1295274 - Church Of St Paul	Grade II	0.2 miles
 1058572 - Crow Lane Farmhouse	Grade II	0.8 miles
 1178310 - Lodge Hill House	Grade II	0.8 miles
 1241320 - Pair Of Gate Piers Immediately East South East Of Lodge Hill House	Grade II	0.8 miles
 1058573 - Old Inn	Grade II	0.9 miles
 1058577 - Boundary Wall Piers And Gates To Coombe Hay Farmhouse	Grade II	0.9 miles
 1058578 - Hardwich Monument In Churchyard About 8 Metres South Of Porch Church Of St Lawrence	Grade II	0.9 miles
 1058576 - Newlyn	Grade II	0.9 miles
 1345142 - Village Cross	Grade II	0.9 miles

Building Safety

Accessibility / Adaptations

Restrictive Covenants

Rights of Way (Public & Private)

Construction Type

Property Lease Information

Listed Building Information

Stamp Duty

Other

Other

Electricity Supply

Mains

Gas Supply

Mains

Central Heating


Gas Central Heating

Water Supply


Mains

Drainage

Mains



		Nursery	Primary	Secondary	College	Private
1	St Lawrence's CofE Primary School Ofsted Rating: Good Pupils: 49 Distance:0.93	☐	☒	☐	☐	☐
2	Wookey Primary School Ofsted Rating: Good Pupils: 97 Distance:1.49	☐	☒	☐	☐	☐
3	The Blue School Ofsted Rating: Good Pupils: 1434 Distance:2.29	☐	☐	☒	☐	☐
4	Priddy Primary School Ofsted Rating: Good Pupils: 40 Distance:2.35	☐	☒	☐	☐	☐
5	St Cuthbert's CofE Junior School Ofsted Rating: Good Pupils: 174 Distance:2.41	☐	☒	☐	☐	☐
6	St Cuthbert's Church of England Academy Infants and Pre-School Ofsted Rating: Good Pupils: 172 Distance:2.43	☐	☒	☐	☐	☐
7	St Joseph and St Teresa Catholic Primary School Ofsted Rating: Good Pupils: 149 Distance:2.52	☐	☒	☐	☐	☐
8	Wells Cathedral School Ofsted Rating: Not Rated Pupils: 780 Distance:2.7	☐	☐	☒	☐	☐




		Nursery	Primary	Secondary	College	Private
9	Stoberry Park School Ofsted Rating: Good Pupils: 318 Distance:2.74	☐	☒	☐	☐	☐
10	Draycott & Rodney Stoke Church of England First School Ofsted Rating: Good Pupils: 72 Distance:3.1	☐	☒	☐	☐	☐
11	Coxley Primary School Ofsted Rating: Requires improvement Pupils: 64 Distance:3.17	☐	☒	☐	☐	☐
12	Horrington Primary School Ofsted Rating: Requires improvement Pupils: 102 Distance:3.99	☐	☒	☐	☐	☐
13	Fairlands Middle School Ofsted Rating: Good Pupils: 434 Distance:4.49	☐	☐	☒	☐	☐
14	The Kings of Wessex Academy Ofsted Rating: Good Pupils: 1045 Distance:4.7	☐	☐	☒	☐	☐
15	Cheddar First School Ofsted Rating: Good Pupils: 333 Distance:4.96	☐	☒	☐	☐	☐
16	Wedmore First School Academy Ofsted Rating: Good Pupils: 186 Distance:5.19	☐	☒	☐	☐	☐

Area


Transport (National)

COOPER
AND
TANNER




National Rail Stations

Pin	Name	Distance
	Castle Cary Rail Station	11.72 miles
	Highbridge & Burnham-on-Sea Rail Station	11.74 miles



Trunk Roads/Motorways

Pin	Name	Distance
	M5 J22	10.7 miles
	M5 J21	12.4 miles




Airports/Helipads

Pin	Name	Distance
	Bristol International Airport	11.01 miles

Area


Transport (Local)

COOPER
AND
TANNER




Bus Stops/Stations

Pin	Name	Distance
1	Woodsmoke	0.03 miles
2	Sunset House	0.04 miles
3	The Easton Inn	0.14 miles
4	St. Paul's Church	0.15 miles
5	Wellsway	0.41 miles



Local Connections

Pin	Name	Distance
1	Bitton (Avon Valley Railway)	17.05 miles



Ferry Terminals

Pin	Name	Distance
1	Bridgwater Ferry Terminal	13.88 miles

Cooper and Tanner Testimonials

COOPER
AND
TANNER

Testimonial 1



Fantastic Service from Cooper & Tanner in Shepton Mallet! As a mortgage broker, i deal with a lot of estate agents and things can be cut throat and very non personable. I was helping a vulnerable client purchase his forever home and he was completely unsavvy with this world so i was concerned for him getting through the process, however, Andrea was absolutely amazing. She kept us completely up to date and was ALWAYS available for support!

Testimonial 2



I have just completed today on the sale of my parents property in Shepton Mallet and I wanted to give a glowing review to Copper and Tanner who have been fantastic throughout. They are professional, friendly and helpful. They kept us up to date and often went above and beyond what was required of an estate agent. We needed to sell the house to pay for care home fees for my our Mum which has been hard work especially as we don't live in Shepton.

Testimonial 3



Our experience with the lettings team at Cooper and Tanner was fantastic. We dealt with Lauren mainly, who was always happy to take our questions to the landlords and came back promptly with the answers for us. She was always polite and professional when we met her for viewings and has been a pleasure to deal. She made the whole process from finding somewhere that would accept a dog, to offer acceptance, referencing and finally the move in day. Thank you.

Testimonial 4



Chris, Andrea, Sally and Lucy were a pleasure to deal with during my conveyancing process. They were knowledgeable and communicated well, keeping informed of developments and doing everything possible for completion to happen. Many thanks to the whole team.



/cooperandtanner



/cooper_and_tanner/

Important - Please read

Cooper and Tanner

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS
01749 372200
sheptonmallet@cooperandtanner.co.uk
cooperandtanner.co.uk

