

HomeCheck™



PROPERTY DOCUMENTS

Morfittsmiths Complete Sale Readiness Service.
Most homes are sold on hope.
Yours will be sold in readiness.






Contents

14 Greenock Street, Sheffield, S6 4NB

Floorplan	3
Title Register	4
Title Plan	6
Energy Performance Certificate	7
HomeCheck Property Review	15
Environmental Search	23
Drainage & Water Search	48

Floorplan



TOTAL: 87 m²

GROUND FLOOR: 34 m², FIRST FLOOR: 36 m², SECOND FLOOR: 17 m²
EXCLUDED AREAS: FIREPLACE: 1 m², LOW CEILING: 1 m², WALLS: 10 m²

This floor plan is for illustrative purposes only. All measurements and layouts are approximations and do not necessarily capture the precise specifications of the property. No responsibility is taken for any error, omission, or misstatement. We always recommend viewing in person to confirm the exact floor plan of a property. Made with Metropix.





Official copy of register of title

Title number SYK588854

Edition date 16.06.2017

- This official copy shows the entries on the register of title on 29 MAY 2026 at 10:32:41.
- This date must be quoted as the "search from date" in any official search application based on this copy.
- The date at the beginning of an entry is the date on which the entry was made in the register.
- Issued on 29 May 2026.
- Under s.67 of the Land Registration Act 2002, this copy is admissible in evidence to the same extent as the original.
- This title is dealt with by HM Land Registry, Nottingham Office.

A: Property Register

This register describes the land and estate comprised in the title.

SOUTH YORKSHIRE : SHEFFIELD

- 1 (08.08.2011) The Freehold land shown edged with red on the plan of the above title filed at the Registry and being 14 Greenock Street, Sheffield (S6 4NB).
- 2 (08.08.2011) A Transfer of the land in this title dated 19 July 2011 made between (1) The Trustees of the Sheffield and Hallamshire District of the Ancient Order of Foresters Investment Association and (2) contains provisions as to light or air and boundary structures.

NOTE: Copy filed.

B: Proprietorship Register

This register specifies the class of title and identifies the owner. It contains any entries that affect the right of disposal.

Title absolute

- 1 (16.06.2017) PROPRIETOR: and of
14 Greenock Street, Sheffield S6 4NB.
- 2 (16.06.2017) The price stated to have been paid on 9 June 2017 was £160,000.
- 3 (16.06.2017) RESTRICTION: No disposition by a sole proprietor of the registered estate (except a trust corporation) under which capital money arises is to be registered unless authorised by an order of the court.

C: Charges Register

This register contains any charges and other matters that affect the land.

- 1 (16.06.2017) REGISTERED CHARGE dated 9 June 2017.

Title number SYK588854

C: Charges Register continued


- 2 (16.06.2017) Proprietor: NATIONWIDE BUILDING SOCIETY of Nationwide House, Pipers Way, Swindon L SN38 1NW.
- 3 (16.06.2017) The proprietor of the Charge dated 9 June 2017 referred to above is under an obligation to make further advances. These advances will have priority to the extent afforded by section 49(3) Land Registration Act 2002.

End of register

HM Land Registry

Official copy of title plan

Title number **SYK588854**
Ordnance Survey map reference **SK3289NE**
Scale **1:1250**
Administrative area **South Yorkshire :**
Sheffield



©Crown Copyright. Produced by HM Land Registry.
Reproduction in whole or in part is prohibited without the prior written permission of Ordnance Survey. Licence Number AC0000851063.



Property type
Mid-terrace house

Total floor area
92 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A to E.

You can read [guidance for landlords on the regulations and exemptions \(https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance\)](https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy rating and score

This property’s energy rating is D. It has the potential to be B.

[See how to improve this property’s energy efficiency.](#)



The graph shows this property’s current and potential energy rating.

Properties get a rating from A (best) to G (worst) and a score. The better the rating and score, the lower your energy bills are likely to be.

For properties in England and Wales:

- the average energy rating is D
- the average energy score is 60

Breakdown of property's energy performance

Features in this property

Features get a rating from very good to very poor, based on how energy efficient they are. Ratings are not based on how well features work or their condition.

Assumed ratings are based on the property's age and type. They are used for features the assessor could not inspect.

Feature	Description	Rating
Wall	Solid brick, as built, no insulation (assumed)	Poor
Wall	Cavity wall, as built, no insulation (assumed)	Poor
Roof	Pitched, no insulation (assumed)	Very poor
Roof	Roof room(s), no insulation (assumed)	Very poor
Window	Fully double glazed	Good
Main heating	Boiler and radiators, mains gas	Good
Main heating control	Programmer, room thermostat and TRVs	Good
Hot water	From main system	Good
Lighting	Low energy lighting in 71% of fixed outlets	Very good
Floor	To unheated space, no insulation (assumed)	N/A
Floor	Solid, no insulation (assumed)	N/A
Secondary heating	None	N/A

Primary energy use

The primary energy use for this property per year is 333 kilowatt hours per square metre (kWh/m²).

About primary energy use

Primary energy use is a measure of the energy required for lighting, heating and hot water in a property. The calculation includes:

- the efficiency of the property's heating system
- power station efficiency for electricity
- the energy used to produce the fuel and deliver it to the property

Additional information

Additional information about this property:

- Cavity fill is recommended

How this affects your energy bills

An average household would need to spend **£1,182 per year on heating, hot water and lighting** in this property. These costs usually make up the majority of your energy bills.

You could **save £459 per year** if you complete the suggested steps for improving this property's energy rating.

This is **based on average costs in 2017** when this EPC was created. People living at the property may use different amounts of energy for heating, hot water and lighting.

Heating this property

Estimated energy needed in this property is:

- 18,911 kWh per year for heating
- 2,228 kWh per year for hot water

Impact on the environment

This property's environmental impact rating is E. It has the potential to be C.

Properties get a rating from A (best) to G (worst) on how much carbon dioxide (CO₂) they produce each year.

Carbon emissions

An average household produces

6 tonnes of CO₂

This property produces

5.4 tonnes of CO₂

This property's potential production

2.2 tonnes of CO₂

You could improve this property's CO₂ emissions by making the suggested changes. This will help to protect the environment.

These ratings are based on assumptions about average occupancy and energy use. People living at the property may use different amounts of energy.

Steps you could take to save energy

Do I need to follow these steps in order?

Yes. Each step builds on the one before it so you can save the most energy.

For example, it's more energy efficient to insulate your home before you buy a new boiler. A well insulated home will lose less heat so you do not have to run your boiler as often.

Step 1: Room-in-roof insulation

Typical installation cost	£1,500 - £2,700
Typical yearly saving	£227
Potential rating after completing step 1	

Step 2: Cavity wall insulation

Typical installation cost	£500 - £1,500
Typical yearly saving	£29
Potential rating after completing steps 1 and 2	

Step 3: Internal wall insulation

Typical installation cost	£4,000 - £14,000
Typical yearly saving	£96
Potential rating after completing steps 1 to 3	

Step 4: Floor insulation (suspended floor)

Typical installation cost

£800 - £1,200

Typical yearly saving

£61

Potential rating after completing steps 1 to 4



Step 5: Low energy lighting

Typical installation cost

£20

Typical yearly saving

£15

Potential rating after completing steps 1 to 5



Step 6: Solar water heating

Typical installation cost

£4,000 - £6,000

Typical yearly saving

£32

Potential rating after completing steps 1 to 6



Step 7: Solar photovoltaic panels, 2.5 kWp

Typical installation cost

£5,000 - £8,000

Typical yearly saving

£255

Potential rating after completing steps 1 to 7



Advice on making energy saving improvements

[Get detailed recommendations and cost estimates](#)

Help paying for energy saving improvements

You may be eligible for help with the cost of improvements:

- Free energy saving improvements: [Warm Homes Local Grant \(WHLG\)](#)
- Heat pumps and biomass boilers: [Boiler Upgrade Scheme](#)
- Help from your energy supplier: [Energy Company Obligation](#)

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name

Peter Wainwright

Telephone

07950652861

Email

epc.energy@talktalk.net

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme

Elmhurst Energy Systems Ltd

Assessor's ID

EES/008463

Telephone

01455 883 250

Email

enquiries@elmhurstenergy.co.uk

About this assessment

Assessor's declaration

No related party

Date of assessment

10 January 2017

Date of certificate

10 January 2017

Type of assessment

RdSAP

RdSAP (Reduced data Standard Assessment Procedure) is a method used to assess and compare the energy and environmental performance of properties in the UK. It uses a site visit and survey of the property to calculate energy performance.

This type of assessment can be carried out on properties built before 1 April 2008 in England and Wales, and 30 September 2008 in Northern Ireland. It can also be used for newer properties, as long as they have a previous SAP assessment, which uses detailed information about the property's construction to calculate energy performance.

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at mhclg.digital-services@communities.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

Certificate number

[8159-6725-7960-3514-4922 \(/energy-certificate/8159-6725-7960-3514-4922\)](#)

Expired on

23 May 2021

Certificate number

[0573-2851-6946-9720-7445 \(/energy-certificate/0573-2851-6946-9720-7445\)](#)

Expired on

8 May 2020

[Help \(/help\)](#) [Accessibility \(/accessibility-statement\)](#)


[Cookies \(/cookies\)](#)

[Give feedback \(https://forms.office.com/e/KX25htGMX5\)](https://forms.office.com/e/KX25htGMX5)

[Service performance \(/service-performance\)](#)


OGL

All content is available under the [Open Government Licence v3.0 \(https://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/\)](https://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/), except where otherwise stated



© Crown copyright (<https://www.nationalarchives.gov.uk/information-management/re-using-public-sector-information/uk-government-licensing-framework/crown-copyright/>)

HomeCheckTM



HomeCheck Property Review

**A practical pre-sale review of the property's visible condition,
with cost guidance for likely repairs and maintenance**

Property address: 14 Greenock Street, S6 4NB

Date: 04 June 2026

This review is based on a visual inspection of accessible areas and reflects over 20 years of hands-on experience working on residential properties similar to this one.

Property Review Summary

This property appears to be in **average condition** for its age, with a generally good standard of upkeep internally and a modest number of mainly localised maintenance items externally.

The house presents as a cared-for mid-terrace with a modern main roof, sound brickwork, generally good internal decorative condition, and no obvious signs of significant structural concern from the areas inspected. The main issues noted relate to localised damp to the rear kitchen extension wall, timber weathering to the front door frame, failed glazing to the attic roof windows, and a number of smaller sealant and finishing items.

Summary of condition

● Structure

- No obvious signs of structural movement are noted.
- The main structure appears sound overall from the areas inspected.

● Priority Repair

- Localised damp is visible to the rear kitchen extension / ginnel-side area.
- The damp appears associated with a drip from the adjoining neighbour's guttering where it abuts the property guttering.
- The end wall of the kitchen extension has cracked and missing render.
- There is missing mortar to the bedding of ridge tiles at the extension roof end, with missing render immediately below.

● Routine Repair

- The timber front door and frame are in average condition, with weathering and rot to the sill and lower frame sections.
- Small isolated areas of mortar below the front ground floor window are loose or missing.
- Some isolated pointing is loose or missing within the passageway.
- Sealant is missing in small areas to the kitchen worktop / tiled wall junction.
- The bath sealant is detached in places with mould staining.
- Minor water marking is visible on the bathroom wall corner near the bath panel / shower screen area.
- Condensation is visible within the double-glazed units to the two roof windows.

● Ongoing Maintenance / Improvement

- Very minor black mould is visible to the rear door reveal.
 - Very minor black speckling is visible to the bedroom two window sealant.
 - The bathroom has no extractor fan.
 - Very minor hairline cracking is visible to wall-ceiling junctions in the attic room.
 - Minor scuffs and paint chips are visible to walls and timberwork around the stairwell to the attic.
 - The cellar shows the usual signs of damp for this type of property, although it appears drier than average for a Sheffield cellar.
-

Typical Cost Guidance

● Priority Repair: £350 – £700

(items best addressed early to prevent further deterioration)

● Routine Repair: £1,000 – £2,000

(typical maintenance and repairs that can be planned over time)

● Ongoing Maintenance / Improvement: £400 – £650+

(optional upgrades and general improvements depending on preference)

What this means

In practical terms, this appears to be a well-kept property that would mainly benefit from a **modest amount of planned repair**, rather than broad refurbishment.

The more important items are localised and relate mainly to keeping water out at the rear extension and dealing with a small number of joinery and glazing issues before they worsen. Aside from that, most of what was noted is typical for a property of this age and can be approached as ongoing or routine upkeep.

Property Condition Overview

What was observed during inspection

Roof

● Ongoing Maintenance

The main roof covering appears newer than the property and is noted as being in good condition to both front and rear. No issues were noted with the main roof areas inspected.

What's likely required:

- No immediate works required
- Ongoing maintenance only

Typical cost guidance: **No immediate cost anticipated**

Rainwater Goods (Gutters & Drainage)

● Priority Repair

The rainwater goods appear sound overall.

At the rear junction with the neighbouring property, the two gutter runs meet but do not connect. Dripping is visible from the end joint to the neighbour's guttering, with localised damp visible to the rear kitchen extension wall below.

What's likely required:

- Neighbouring gutter end joint to be repaired and properly sealed
- Once the leak source has been resolved, check the affected wall area again to confirm whether it dries out as expected

Typical cost guidance: **£150 – £300**

External Walls

● Priority Repair

To the rear, the render is generally in acceptable condition, but the end wall of the kitchen extension has localised cracking, previous patching, and some missing render. Together with missing mortar at the ridge end above, this creates a small area where water ingress could occur.

What's likely required:

- Localised repair to cracked / missing render at the kitchen extension end wall
- Make good the missing mortar to the extension roof edge / ridge end detail

Typical cost guidance: **£200 – £400**

● Routine Repair

The front brickwork and pointing appear sound overall with minor isolated mortar loss visible below the front window and within the passageway.

What's likely required:

- Carry out small isolated repointing repairs where mortar is loose or missing

Typical cost guidance: **£100 – £200**

Windows & External Joinery

● Routine Repair

The windows are white UPVC and appear sound overall. The front timber door and frame are in average condition, but there is notable weathering and localised timber decay to the sill and lower frame sections, with some rot already present. The rear timber door and frame appear sound.

What's likely required:

- Localised timber repairs to the front door frame and sill, or partial replacement if preferred
- Prepare and redecorate affected timber

Typical cost guidance: **£200 – £300**

Internal Condition

● Routine Repair

The internal decorative condition is generally good throughout.

Minor hairline cracking is visible at wall-ceiling junctions to the attic, and there are minor scuffs to walls and timberwork around the attic stairwell.

Condensation is visible within the two roof windows, indicating failed double-glazed units.

What's likely required:

- Carry out minor filling and redecoration where desired
- Replace failed double-glazed units to the Velux windows

Typical cost guidance: **£500 – £1,200**

Services (General Due Diligence)

● Ongoing Maintenance / Improvement

The gas boiler appears serviceable on visual inspection, and the consumer unit, electricity meter and gas meter appear relatively modern.

As with any purchase, routine confirmation of testing and certification is sensible.

What's likely required:

- Obtain the usual boiler servicing and gas safety information
- Confirm standard electrical certification

Typical cost guidance: **£200 – £350**

Kitchen & Bathroom

● Routine Repair

The kitchen is relatively modern and appears in good condition overall, with localised areas of missing sealant between worktop and tiles.

The bathroom is in average condition, with the main issues limited to detached bath sealant, and minor water marking to the wall corner beneath the shower screen area.

What's likely required:

- Seal junction between worktop and tiled splashback
- Renew bath sealant
- Check the shower screen for minor leakage during normal use
- Make good the wall corner damage locally if required

Typical cost guidance: **£200 – £300**

● Ongoing Maintenance / Improvement

There is no extractor fan fitted to the bathroom (although no active damp issue was noted).

What's likely required:

- Consider adding extraction to the bathroom

Typical cost guidance: **£200 – £300**

Grounds & External Areas

● Ongoing Maintenance / Improvement

The external areas are all reasonably well maintained and in acceptable condition, with no specific repair items noted beyond normal upkeep.

What's likely required:

- No immediate works required
- Ongoing maintenance only

Typical cost guidance: **No immediate cost anticipated**

Practical Next Steps

- Deal with the localised rear gutter / water discharge issue affecting the kitchen extension wall
 - Repair the cracked / missing render and mortar detail at the rear kitchen extension end
 - Repair or partly renew decayed timber to the front door frame and sill
 - Renew failed sealants in the kitchen and bathroom
 - Replace the failed double-glazed units to the Velux roof windows
 - Obtain the usual gas and electrical checks as part of the purchase process
-

Practical Context

This appears to be a typical Sheffield terrace that has been kept in a **better than average** decorative standard internally, with only a limited number of repairs standing out from the inspection notes. The main roof and much of the general fabric appear to have been well maintained.

The key point is that the work identified is mostly localised. Addressing the rear extension moisture-related items early should help keep the rest of the property performing as expected, while the remaining items can be treated as manageable ongoing maintenance.

Important Note

This is a practical building review based on a visual inspection of accessible areas.

It is **not** a formal survey, structural engineer's report, or contractor quotation.

Cost guidance is indicative only and will vary depending on specification, contractor and access requirements.


Francis Mickelborough

HomeCheck™

www.myhomecheck.co.uk

Property address

14 Greenock Street, SHEFFIELD, S6 4NB, England



© Crown copyright and database rights 2026 OS AC0000813445

Homebuyer advice

This report is designed to help you understand environmental factors that might be relevant to your property. As this report includes a range of risk factors, we recommend reading each section to find out more and check our guidance. For more information, please see our FAQs: <https://www.landmark.co.uk/legal-conveyancing/legal-reports-support/>

Professional opinion



Contaminated Land

[Page 2](#)

Passed ✓

Full assessment



Ground stability

[Page 3](#)

Not Identified



Radon

[Page 4](#)

Not Identified



Planning constraints

[Page 5](#)

Identified

Alert Assessment



Flood

[Page 6](#)

Not Identified



Coal mining

[Page 7](#)

Coal report required



Planning applications

[Page 8](#)

Identified



Energy & Infrastructure

[Page 9](#)

Identified

Contaminated Land

PROFESSIONAL OPINION

Passed

Passed Certificate

No liability identified

The property is unlikely to be designated "contaminated land" within the meaning of Part 2A of the Environmental Protection Act 1990.

Approved by:




Landmark Contribution

By purchasing this report, the recipient may be eligible for remediation contribution of up to £100,000 if served with a Remediation Notice by the local authority. Such a notice may require the homeowner to pay for all, or contribute to, the remediation of the property. For more information see Landmark's Terms and Conditions.

Why we search this

Local Authorities have a duty to investigate potential land contamination. Where they identify a significant hazard, the owner of the land may find themselves liable to remediate. The aim of this assessment is to flag whether there is a risk of liability at your property, so it can be addressed as part of your due diligence process.



Risk	Search radius	Result
Multiple features present		
Authorised Industrial Processes	On-site	Not Identified
Landfill & Waste	On-site	Not Identified
Incidents & Enforcements	On-site	Not Identified
Current Land Uses	On-site	Not Identified
Historical Land Uses	On-site	Not Identified



Ground stability

FULL ASSESSMENT

Summary

We have not identified a risk of ground stability hazards at the property.


Recommendation

- 
- If any active ground instability appears to be affecting your property, inform your insurance company, mortgage lender, landlord or get specialist advice from a suitably qualified expert such as a structural surveyor, geotechnical engineer or chartered engineering geologist.

Why we search this

Subsidence is caused by movement in the ground beneath a property, impacting the security of the foundations. This can cause the walls and floors to shift, leading to cracks and potentially destabilising the construction of the property.

Not Identified 



Radon

FULL ASSESSMENT

Not Identified 

Summary


The property is not in a radon affected area. Less than 1% of homes are estimated to be at or above the action level.

Recommendations

- 1 The result is only valid for properties above ground. All basements and cellars are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living accommodation, the property should be tested regardless of the radon affected area status.
- 2 No protective measures are considered necessary in the construction of new buildings or extensions.

Why we search this

Radon is a radioactive gas which occurs naturally in rocks and soils. You cannot see, hear, feel or taste it. Radon is known to be carcinogenic, and exposure to particularly high levels of radon may increase the risk of developing lung cancer. It is easily identified, and measures can be put in place to disperse the gas, either at the time of building a property or retrospectively.



⊘ Planning constraints

FULL ASSESSMENT

Identified ⊘

Summary

We have identified records of environmental designations at the property. We have not identified any records of pylons or masts within 250m of the property.

Recommendations


- 1
- If you are considering carrying out development on this property, you will need to contact your Local Planning Authority to see if there would be any implications.
- 2
- Visit the property to ensure there are no other features which would be of concern.

Important note

Not all of the available datasets will be represented as polygons on the map. For full details of any identified features, please consult the data appendix.

Why we search this

Some additional factors could have an influence over the property or surrounding area. This includes nearby pylons or masts, or environmental designations such as areas of outstanding natural beauty. Whilst environmental designations can be considered a positive, they can affect the ability to carry out any development at the property.



Contains OS data © Crown copyright and database rights 2026

Risk	Search radius	Result
⊘ Multiple features present		
☑️ Environmental Designations	250m	Identified (2)
⚠️ Pylons and Masts	250m	Not Identified

 Flood

ALERT ASSESSMENT

Not Identified 

Summary

We have identified the property to be within an area that is at minimal or no risk of flooding.

Why we search this

1 in 6 properties in the UK are at risk of flooding, and this risk varies in severity. Flood risk can impact your ability to get home insurance at standard terms, and can also impact property value if flooding were to occur. We are alerting you to the presence of flood risk at the property location, and will recommend when we consider further investigations to be prudent.



Contains OS data © Crown copyright and database rights 2026

Risk		Search radius	Result
	River	On-site	Not Identified
	Coastal	On-site	Not Identified
	Surface Water	On-site	Not Identified
	Groundwater	On-site	Not Identified
	Other	50m	Not Identified



Coal mining

POWERED BY
PINPOINTCOAL

ALERT ASSESSMENT

Coal report required ⚠️

Summary


We have identified a potential risk from coal mining at the property.

Recommendations

- 1 We recommend you order a Landmark Coal report through your usual report provider.
- 2 Ask the seller whether the property has been impacted by coal mining in the past.
- 3 Establish the availability of buildings and contents insurance before exchanging contracts.

Why we search this

Coal mining and associated ground stability risks are present in certain locations across the UK as a result of past mining activities conducted to satisfy demand for coal as it increased throughout the Industrial Revolution. These mining activities have left a legacy of ground stability and/or subsidence risks.



 Planning Applications

ALERT ASSESSMENT

Identified 

Planning applications

We have identified planning application records at or near the property.

Recommendation


- For information about each identified planning application, along with a link to the full application on the Local Authority website, please purchase a Landmark Planning report through your usual report provider.

Important note

This report is an overview of the area, and you should further investigate any applications that could affect you or your enjoyment of the property. We do not guarantee that all applications will be shown in this report.

Why we search this

The potential impact of planning applications is subjective. The aim of this report is to flag what types of applications are present in the surrounding area so you can decide whether you need to follow up on the detail and its potential effect on your property.



Risk	Search radius	Result
 Multiple features present		
 Large	750m	Identified
 Medium	250m	Identified
 Small	250m	Identified
 Unclassified	250m	Not Identified
 Alterations and minor new builds	75m	Identified

✈ Energy & Infrastructure

ALERT ASSESSMENT

Identified ⚠

Summary


We have identified features in proximity to the property.

Recommendation

- ⚠ For information about each identified project, please purchase a Landmark Energy & Infrastructure report through your usual report provider.

Why we search this

Energy and infrastructure projects have the potential to affect nearby property values. They may result in visual impact or noise to the neighbourhood, or equally may have a positive impact on property value. This report highlights the projects in your local area so you can make an informed decision. For more information and advice see our guidance article www.landmark.co.uk/Energy&Infrastructure



Contains OS data © Crown copyright and database rights 2026

Risk	Search radius	Result
⚠ Multiple features present		
⚠ Non-Renewable Energy	4km	Identified
⚠ Renewable Energy	4km	Identified
⚠ Above & Below Ground Railways	250m	Identified
⚠ HS2 & Crossrail 2	2km	Not Identified

Data appendix

The rest of the report outlines the data used to inform the previous sections. There's no need to read on unless you're after the detail of a particular dataset used to inform our opinion.

We will only show maps and detail where a risk has been identified.

How to use this report	11
Understanding the data	12
Datasets searched	14
Contaminated Land	
Authorised industrial processes	Not identified
Landfill and waste	Not identified
Incidents & Enforcements	Not identified
Current land uses	Not identified
Historical land uses	Not identified
Ground stability	
Man-made hazards	Not identified
Natural factors	Not identified
Mining	Not identified
Brine and Salt	Not identified
Planning constraints	16

① How to use your report

The report is designed to satisfy the concerns raised by the Law Society warning card and has been prepared to assist conveyancing professionals who may be advising clients when they sell or buy a property, obtain a mortgage or seek further mortgage advice. It is designed to bring information to their attention and help them decide whether they need to seek any further specialist advice. As the report is so detailed, this information can cause concern, but professional advisors will see that further action is suggested on all issues that have been identified.

How do we examine the risk?

This report is generated based on the boundary selected at the point of order to represent the property. Where the location was provided to us as a point only, the report is based on a 25m radius around this point; any features which are present within this boundary are considered to be 'on-site'.

In this report there are two different ways we can examine each risk. These are indicated on the cover page, and we also highlight the assessment type on each risk summary page.

Professional opinion

This is the highest level of risk assessment. A full assessment is run on the data. If the outcome is above the threshold for that risk, one of our in-house consultants will personally review the outcome. This may lead to the risk outcome being downgraded to a lower level based on our expertise and methodology.

Full assessment

Based on the data that is relevant to your property, we have created an automated opinion and recommendations using our expertise and risk models.

Alert assessment

We identify data within the search area, which may be relevant to the property. If features or potential hazards are found, we would recommend additional reports are obtained to clarify these further.

The front page of this report advises the outcome for each section based on one of these categories:

- **Passed:** We do not consider this to be a risk
- **Passed with guidance:** We have identified a risk but do not consider it to be significant. Please review the guidance.
- **Further Action:** We have identified a risk which we recommend you investigate further.
- **Identified:** We have identified a potential hazard risk in this section
- **Not identified:** We have not identified any potential hazards in this section.

Guide to the risk summary pages

Each risk has a dedicated summary page, outlining the risks on a map, with a key. More details of any identified features can then be seen in the Data Appendix of this report.

This report is not designed to be printed. Please store it securely online, and consider the environment before you print.

The screenshot displays the 'Homecheck Residential' report interface. At the top, the 'Planning constraints' section is highlighted with a 'FULL ASSESSMENT' status. The page is divided into several numbered sections: 1. Summary, 2. Recommendations, 3. Important note, 4. Why we search this, 5. Map displaying proximity of any issues to boundary, 6. Map key identifying any risk features, and 7. The risk we have examined. The 'Summary' section states: 'We have not identified any records of environmental designations, pylons or masts within 250m of the property.' The 'Recommendations' section includes two points: 'If you are considering carrying out development on this property, it would be prudent to contact your Local Planning Authority to see if there would be anything impacting this.' and 'Visit the property to ensure there are no other features which would be of concern.' The 'Important note' section states: 'The Local Nature Reserves national dataset is "indicative" not "definitive". Definitive information can only be provided by individual local authorities, and you should refer directly to their information for all purposes that require the most up to date and complete dataset.' The 'Why we search this' section states: 'Some additional factors could have an influence over the property or surrounding area. This includes overhead power lines, or environmental designations such as areas of outstanding natural beauty. Whilst these can generally be considered a positive, they can affect the ability to carry out any development at the property.' The map shows a 250m radius around the property, with a key indicating 'Environmental Designation' (green line) and 'Pylons and Masts' (red line). The overall outcome for this section is 'Not Identified' with a green checkmark.

Understanding the data

Contaminated land

A Professional Opinion in relation to Part 2A of the Environmental Protection Act 1990 is provided. In many cases the report will be passed without referral. However, in some cases, entries that may be of concern are revealed by the search, in which case the report is referred free of charge for more detailed consideration, although this will not include a physical site inspection. After such referral the report may be passed or suggestions made of some further action that could be taken, usually in the form of questions to ask of the appropriate authorities. When responses to these questions are received it is the responsibility of the client and their professional advisors to decide if they are happy to proceed.

Radon

Radon is a natural radioactive gas, which enters buildings from the ground. It is the geological conditions in certain areas that can lead to higher than average volumes (some of the highest radon levels have been found in the southwest, but levels well above average have been found in some other parts of the UK).

Radon has no taste, smell or colour and special devices are needed to measure it. The gas is diluted to harmless levels out in the open but has the potential to build up to higher concentrations indoors. Exposure to high concentrations of Radon gas can pose a health risk and studies have shown that it increases the risk of lung cancer.

This report informs you whether the property is in a radon Affected Area and the percentage of homes that are estimated to be at or above the radon Action Level. This does not necessarily mean there is a radon problem in the property; the only way to find out whether it is above or below the Action Level is to carry out a radon measurement in an existing property.

If you are buying a currently occupied property in a Radon Affected Area, you should ask the present owner whether radon levels have been measured in the property. If they have, ask whether the results were above the Radon Action Level and if so, whether remedial measures were installed, radon levels were re-tested, and the results of re-testing confirmed the effectiveness of the measures.

Planning: Applications

This report includes an alert for nearby planning applications. To do this, we check each project or development against your property boundary. If we find something on-site or nearby, we will display 'Identified' on the front page. If we don't find anything, we will display 'Not identified'. We will only describe issues relevant to the property in this report.

Where possible, we will represent larger planning applications as a polygon. Our ability to do this is limited by: the presence or absence of the planning application having been made available online; the availability/accessibility of the plan on the Local Authority website; and Landmark's ability at a point in time

to capture the record. Small applications will be represented by a point, although a limited number may be presented as a polygon.

We have considered planning applications captured by Barbour ABI Ltd within the last 7 years to inform you of current or future developments that could influence your enjoyment and use of the property. We use different search buffers based on the size of the potential development project.

Development in the UK is controlled by the government's planning legislation, which is regulated and enforced by your local authority planning department. Once a planning application request has been submitted and published, it can take up to 6 weeks for us to receive and use in our reports.

Applications are often submitted with imprecise or incomplete address details and because of this the locations we use may not always represent a development site's full extent. We endeavour to position applications in the most appropriate location we can, using the address details available to us. If nearby development is likely to significantly influence your choice to purchase the property, we would recommend you use this report as a starting point for more extensive investigations.

This report does not include a data section for Planning applications. Should any applications have been identified, please purchase the Landmark Planning report through your usual reseller.

Ground stability

This section provides information on a range of ground stability issues; either naturally occurring or arising from previous mining activity. Ground stability is important, as subsidence, landslide and sink holes can all cause damage to properties.

We search a number of different sources of information to identify areas of past mining. Old mine shafts and tunnels can collapse and damage properties above them. Disturbed ground and spoil tips can also be prone to settlement which could cause structural damage to buildings. We also identify areas of historical salt and brine extractions. This type of mining leaves large cavities in the ground which could collapse and cause problems for properties built in the area.

We use historical mapping to identify areas formerly used for landfill and areas of other infilling such as ponds, drains and small pits. Infilled land can be susceptible to settling so any houses that have been built on these areas could experience ground stability problems and subsidence resulting in damage to your property.

We also consider areas of land that could be prone to ground instability and subsidence as a result of the natural underlying geology. Examples include areas of the UK at a higher risk of landslides or where sink holes could occur.

Coal mining

Understanding the data

We use data from PinPoint to assess if you are in an area affected by Coal Mining activity. If you are assessed as being at risk, we include full details regarding that risk. Conversely, if you are assessed as not being at risk, you are provided with certification informing you of that outcome.

Energy and Infrastructure

This report includes an alert for nearby Energy and Infrastructure projects. To do this, we check each project or development against your property boundary. If we find something on-site or nearby, we will display 'Identified' on the front page. If we don't find anything, we will display 'Not identified'. We will only describe issues relevant to the property in this report.

This report does not include a data section for Energy and Infrastructure. Should any features have been identified, please purchase the Sitesolutions Energy and Infrastructure report through your usual reseller

Above and below ground railways

The above and below ground railways section provides details on existing railways. This includes data supplied by Crossrail for the route and stations and safeguarding areas; Railway lines (including underground, overground, national rail and tram lines) sourced from OpenStreetMap; and Stations and stops (including Metro, Tram, Underground, Preserved and Inactive stations sourced from Department of Transports NaPTAN API and Ordnance Survey OpenMap Local product for the United Kingdom.

This data includes records of historic railways. As such, it is possible that the railways identified are no longer present.

HS2 and Crossrail 2

The High Speed 2 (HS2) and Crossrail2 section of the report provides details on the proposed route, stations and safeguarding areas for each of the projects, based on Consultation documents and data provided by the Department for Transport.

In October 2023, the HS2 project was scaled back by the Government; discussions continue the appropriate next steps, and as such the data provided may not reflect the most recent changes. Full details about the Phase 2 cancellation can be found here: <https://www.hs2.org.uk/>

Planning constraints

Overhead Transmission Lines are extracted from Ordnance Survey Landline data in MasterMap and only show significant lines; if the pylons and lines are not shown on the mapping then they will not be reported.

We also show the location of any Environmental Constraints that are from datasets recognised as being relevant to Part 2A of the Environmental Protection Act 1990.

Datasets searched

Contaminated land

Authorised Industrial Processes

Local Authority Pollution Prevention and Controls
Planning Hazardous Substance Consents
Control of Major Accident Hazards Sites (COMAH)
Notification of Installations Handling Hazardous Substances (NIHHS)
Explosive Sites

Landfill and Waste Sites

Registered Waste Treatment or Disposal Sites
Registered Waste Transfer Sites
BGS Recorded Landfill Sites
Registered Landfill Sites
Licensed Waste Management Facilities (Landfill Boundaries)
Local Authority Recorded Landfill Sites
Historical Landfill Sites
Licensed Waste Management Facilities (Locations)

Incidents and Enforcements

Enforcement and Prohibition Notices
Prosecutions Relating to Authorised Processes
Planning Hazardous Substance Enforcements
Prosecutions Relating to Controlled Waters
Local Authority Pollution Prevention and Control Enforcements
Prosecutions (Post 2000)
Contaminated Land Register Entries and Notices
Substantiated Pollution Incident Register

Historical Land Use

Potentially Contaminative Industrial Uses (Past Land Use)
Potentially Infilled Land (Non-Water)

Potentially Infilled Land (Water)
Historical Tanks And Energy Facilities

Current Land Use

Contemporary Trade Directory Entries
Fuel Station Entries

Miscellaneous

Landmark Risk Assessed Land Register
Water Abstractions
Source Protection Zones Locations
BGS Bedrock Aquifer Designations
BGS Superficial Aquifer Designations
VMD Water Features
OS NGD Water Link

Flood

River and Coastal Flooding

Flooding from Rivers or Sea without Defences
Extreme Flooding from Rivers or Sea without Defences
Risk of Flooding from Rivers or Sea (RoFRS)

Surface Water Flooding

JBA Pluvial 75 Depths
JBA Pluvial 200 Depths
JBA Pluvial 1000 Depths

Groundwater Flooding

Groundwater Flood Risk 5m
JBA Pluvial 75 Depths
Flooding from Rivers or Sea without Defences

Other

Flood Water Storage Areas
Historic Flood Events
VMD Water Features
OS NGD Water Link
OS Terrain 5 DTM

Radon

Radon

Radon Potential

Planning Applications

Planning Applications

Post 1997 Planning Applications

Ground stability

Natural hazards

Potential for Landslide Ground Stability Hazards
Potential for Ground Dissolution Stability Hazards
Potential for Compressible Ground Stability Hazards
Potential for Shrinking or Swelling Clay Ground Stability Hazards
Potential for Running Sand Ground Stability Hazards
Potential for Collapsible Ground Stability Hazards
Natural Cavities

Man-made hazards

BGS Recorded Landfill Sites
Potentially Contaminative Industrial Uses (Past Land Use)
Former Marshes
Potentially Infilled Land (Non-Water)

Datasets searched

Potentially Infilled Land (Water)

Registered Landfill Sites

Licensed Waste Management Facilities (Landfill Boundaries)

Local Authority Recorded Landfill Sites

Historical Landfill Sites

Brine and salt

CBSCB Compensation District

Brine Pumping Related Features

Salt Mining Related Features

Brine Subsidence Solution Area

Mining

BGS Recorded Mineral Sites

Potentially Contaminative Industrial Uses (Past Land Use)

Non-Coal Mining Areas of Great Britain

Mining Instability

Potentially Contaminative Land Uses from large scale historical mapping

Potential Mining Areas

Man-Made Mining Cavities

Coal mining

Pinpoint Coal Screening

Energy & infrastructure

Renewable energy

Wind Farms

Wind Turbines

Renewable Energy Planning Database

Non-renewable energy

Licensed Areas for Onshore Energy Exploration and Production

Licensed Wells for Energy Exploration

Offered Blocks for Onshore Energy Exploration and Production

Southampton to London Pipeline Development

Above and below ground railways

Crossrail - Safeguarding Limits

Crossrail - Stations

Crossrail - Track

Railed Transport - Tracks

Railed Transport - Stations and Stops

HS2 and Crossrail2

HS2 - Track

HS2 - Stations

HS2 - Safeguarding Limits

HS2 - Payment Zones

Crossrail 2 - Track

Crossrail 2 - Stations

Crossrail 2 - Safeguarding Limits

Miscellaneous

Local Authority Boundaries

Planning Constraints

Planning Constraints

Pylon or Mast

Areas of Outstanding Natural Beauty

National Nature Reserves

Local Nature Reserves

Marine Nature Reserves

Sites of Special Scientific Interest

Forest Parks

National Parks

Areas of Unadopted Green Belt

Ramsar Sites

Special Areas of Conservation

Special Protection Areas

Areas of Adopted Green Belt

Environmentally Sensitive Areas

Listed Buildings

World Heritage Sites

Scheduled Monuments


Ancient Woodland

Country Parks

Nature Improvement Areas

Planning constraints

[← Back to summary](#)



We have identified records of environmental designations at the property. We have not identified any records of pylons or masts within 250m of the property.

Heritage sites, monuments and listed buildings			
Id			
Details			
Distance			
Contact			
Listed building			
12	Site type: Listed Buildings Name: Sewer Gas Lamp At Junction With Kendal Road And Hawthorn Road Reference: 1246804 Location: Not Supplied Location Accuracy: Positioned by the supplier	188m N	3
13	Site type: Listed Buildings Name: Former Malinbridge Corn Mill Reference: 1271282 Location: Not Supplied Location Accuracy: Positioned by the supplier	237m SW	3

Appendices

Report limitations	18
Useful information	19
Useful contacts	23
Important consumer protection information	24
Terms and conditions and copyright statement	25



Report limitations

This report has been prepared on the understanding that it is to be used for an individual residential property transaction and should not be used or relied upon in a commercial property transaction, or if development is planned at the property. The report is a desktop review of information provided by the client and from selected private and public databases. It does not include a site investigation, nor are specific information requests made of the regulatory authorities for any relevant information. Therefore, Landmark cannot guarantee that all issues of concern will be identified by this report, or that the data and information supplied to it by third parties is accurate and complete. We do not accept responsibility for inaccurate data provided by external data providers.

The methodology for the contaminated land risk assessment and the conclusions drawn therefrom are the responsibility of Landmark Information Group Ltd.

While every effort is made to ensure accuracy, Landmark cannot guarantee the accuracy or completeness of any information or data. We do not accept responsibility for inaccurate data provided by external data providers.

Useful information

Contaminated land

Landfill and Waste

At present no complete national data set exists for landfill site boundaries, therefore, a point grid reference, provided by the data supplier, is used for some landfill sites. In certain cases the point grid references supplied provide only an approximate position, and can vary from the site entrance to the centre of the site. Where the exact position of the site is unclear for Registered Landfill data, Landmark construct either a 100 metre or 250 metre 'buffer' around the point to warn of the possible presence of landfill. The size of this 'buffer' relates to the positional accuracy that can be attributed to the site. The 'buffer' is shown on the map as a red hatched area. For further information regarding landfill sites identified in the report, please contact the relevant agency or authority referenced in the Useful Contacts section.

The British Geological Survey (BGS) hold records of over 3,000 landfill sites that accepted waste prior to the Control of Pollution Act (COPA) 1974. These were not subject to any strict regulation or monitoring.

Permitted Waste Sites and Environmental Permitting Regulations - Waste cover current or recently current consents issued for landfill sites, waste transfer, treatment or disposal sites by the relevant agency, under Section 64 of the Environmental Protection Act 1990 (Part 2) and prescribed by regulation 10 of SI No. 1056 of the Waste Management Licensing Regulations 1994.

Authorised Industrial Processes

Identified discharge consents could be for storm water discharges, soakaways or septic tanks. If a radioactive substance licence has been identified the consent band will be given under enquiries and replies. Consents fall into one of four bands: Band 1 and 2 Nuclear licenced sites authorised by the Nuclear Installations Inspectorate e.g. nuclear power stations Band 3 Site registered/authorised to accumulate and dispose of radioactive materials, only non-nuclear operations are carried out on site e.g. hospitals Band 4 Sites registered to keep and use radioactive material e.g. laboratories, universities, commercial premises using appliances such as monitoring equipment, alarm systems, tritium lighting etc.

Data supplied for Explosive Sites, Control of Major Accident Hazards Sites (COMAH) and Notification of Installations Handling Hazardous Substances (NIHHS) contains public sector information published by the Health and Safety Executive and licenced under the Open Government Licence.

Historical Land Uses

This data relates to categories of potentially contaminative land uses that have been identified by the analysis of selected Ordnance Survey historical mapping. The published date (range of dates) of the map (s) and the distance from the centre of search to the nearest point of the feature is given.

Further details of the extent of the site or its activities are not available. Should you wish to examine the Ordnance Survey maps these are normally available for public inspection at the local archive or local major

library.

Potentially infilled land has been identified when a 'cavity' (a hole made by an extractive industry or natural occurrence e.g. pond) was indicated on a historic map but there was no evidence of its existence in the last available map for the area. No details of what may have been used to fill the cavity or exactly when or if it was filled are available from the mapping.

The point locations of historical tanks and energy facilities are identified from the text on Ordnance Survey 1:1250 and 1:2500 scale mapping published between 1943 and 1996, based upon a predetermined list of abbreviations, e.g. El Sub (Electricity Sub-station) and F Stn (Filling Station). The position of the point has been located at the centre of the identified text so that it would be within approximately 30 meters of the feature it was describing. The features themselves are related to energy and petroleum storage and cover the following: tanks, petrol storage, potential tanks (at depots etc.), electricity sub stations and related features, gas and gas monitoring related features, oil related features and miscellaneous power features. NB: It should be noted that the Ordnance Survey abbreviation for tank (tk) is the same as that for tracks. Therefore some of the captured text may relate to tracks and not tanks when the exact nature of the feature is not clear from the mapping.

Flood

River

River flooding, also known as 'fluvial flooding', occurs when rivers and streams are unable to carry away floodwaters within their usual drainage channels. It can cause widespread and extensive damage because of the sheer volume of water.

Coastal

Coastal flooding results from a combination of high tides, low lying land and sometimes stormy conditions. It can cause widespread and extensive damage because of the sheer volume of water.

Surface

Surface water flooding, also known as 'pluvial' flooding, is common during prolonged or exceptionally heavy downpours, when rainwater does not drain away into the normal drainage systems or soak away into the ground.

Groundwater

Groundwater flooding generally occurs during long and intense rainfall when underground water levels rise above surface level. Groundwater flooding may last for weeks or several months.

Useful information

Other

We analyse proximity to and elevation above historical flood records to better understand the risk of flooding. The flood risk from smaller watercourses is not always modelled, so we include proximity to nearby watercourses in our overall analysis.

It is important to understand that flooding can happen anywhere, even if you don't live near to a watercourse or the sea. Insurance may be expensive or difficult to obtain if your home is at risk, so it is vital to understand the risk of flooding of your home before purchasing a property. Understanding flood risk is based on the likelihood of a flood event and the potential impact.

Flooding can usually be managed by the installation of flood protection measures, either on or within the building or across the property. Flood protection measures can be divided into two categories; flood resistance and flood resilience.

Radon

Due to the nature of way the information is gathered, your property/site may have more than one probability of radon attributed to it. We report the worst case scenario on the property/site you have provided. This information is an estimate of the probability that a property /site in Great Britain is at or above the 'Action Level' for radon (the level at which Public Health England recommends that radon levels should be reduced, those with an average of 200 Bq m⁻³ or more). This information satisfies CON29 Standard Enquiry of Local Authority; 3.13 Radon Gas: Location of the Property in a Radon Affected Area and can also be used to advise house buyers and sellers in Scotland. Where the property/site is a new build, this information provides information on the level of protection required for new buildings under BR211 (Scivyer, 2007) Radon: Guidance on protective measures for new buildings and BR376 (BRE, 1999) Radon: Guidance on protective measures for new dwellings in Scotland.

Public Health England advises that radon gas should be measured in all properties within radon Affected Areas and that homes with radon levels above the Action Level (200 Bq m⁻³) should be remediated, and when achievable to below the Target Level of 100 Bq m⁻³. Householders with levels between the Target Level and Action Level should seriously consider reducing their radon level, especially if they are at greater risk, such as if they are current or ex smokers. Whether or not a home is in fact above or below the Action Level or Target Level can only be established by having the building tested. Public Health England provides a radon testing service which can be accessed at www.ukradon.org.

Indoor radon levels can usually be substantially reduced at a low cost comparable to many home improvements, such as replacing carpets. Details of methods of reducing radon levels are given on the Building Research Establishment Website: <http://www.bre.co.uk/radon>.

Flood protection measures

Flooding can usually be managed by the installation of flood protection measures, either on or within the building or across the property. Flood protection measures can be divided into two categories; flood resistance and flood resilience.

Flood resistance measures: physical barriers designed to keep water out of your house, such as flood doors, air brick covers and non-return valves. Temporary flood resistance products are those that need deploying (fitting or activating) prior to flooding arriving, whereas permanent flood resistance products do not need activating.

Flood Resilience measures: these reduce flood damage in situations where water is allowed to enter, such as raising electrical sockets, the use of resilient plaster.

The flood source, likely depths and property design and age will inform the best choice of permanent resistance, temporary resistance or resilience. Other factors will play a part in the decision making process, such as cost, visual impact, ease of deployment and product performance. The best answer for your home will most likely involve a combination of products.

Please refer to the Know Your Flood Risk website for further information and suppliers of protection and resilience measures: www.knowyourfloodrisk.co.uk/flood-advice-guidance

Preparation for a flood event

Flood Action Plan

Preparing a Flood Action Plan will help ensure the safety of everyone, minimise the disruption that you may suffer and reduce damage to important items. The flood plan should comprise of a simple check list for you to follow should a flood event be expected. You can create your own personal Flood Action Plan by visiting the Environment Agency website at www.gov.uk/prepare-for-flooding/future-flooding. Alternatively, visit your Local Authority's website.

A Flood Action Plan should include:

- Contact numbers for utility providers (gas, electricity, water), insurance providers, local authority, and other important contacts (family, friends, etc.)
- A list of important items that you can move upstairs or to a safe place before an event (pets, cars, electrical equipment, heirlooms, furniture)
- Where the utility shut-off points are and how to operate them
- What Property Level Protection measures to install and where
- Where the emergency flood kit is and what it should comprise of
- Practical advice on appropriate actions to take during a flood (store as much drinkable water as possible, block sinks and toilets, tune into your local radio station for updates)

Useful information

- Practical advice on appropriate actions to take after a flood has occurred (take photos and videos of damage, contact insurance providers, contact utilities to check that central heating, water, and electrics are working properly)

Flood Action Groups

As well as protecting your property and preparing yourself for a flood, as a local community you can set up a flood action group. Flood action groups across England and Wales are proving to be very successful ways in raising awareness and engaging communities in responding to flood risk. This is done through engagement, increasing resource, applying for grant schemes and working in partnership with relevant Agencies and Authorities. The advice, support and assistance provided by Agencies and Authorities can be helped by local knowledge to better help reduce or mitigate flood risk. For guidance on how to create a flood action group in your community please visit the National Flood Forum's website at www.nationalfloodforum.org.uk/flood-risk-community-groups/how-to-form-a-flood-action-group.

Flood Re

At the start of April 2016 the flood insurance market changed. Flood RE opened for business, allowing many flood risk prone residential properties access to affordable flood insurance. All other properties (including most leasehold homes and all commercial property) are exposed to a fully risk-based flood insurance market, perhaps for the first time.

It is therefore important to understand in advance of exchanging contracts whether that property has a flood risk, which is likely to make insurance more expensive, or even impossible to obtain.

Such insurance implications may make getting a mortgage more difficult, which may jeopardise the proposed transaction. Alternatively, the cost implications of dealing with the potential flooding may lead to the property price being discounted.

So what is Flood RE?

Flood RE is a scheme developed by the insurance industry with the approval of Government. It is an independent organisation and is neither run by nor funded by Government (though it does report to Parliament on the way the scheme is working). The Flood RE scheme is designed to ensure that affordable flood cover remains available to most residential homes for a 25 year period and to soften the transition to fully risk-reflective pricing.

Flood RE also hopes to encourage competition between insurers to offer better terms for flood insurance. Insurers who write flood risk business in the UK must be members of Flood RE. They can then choose whether or not to cede to Flood RE the flood part of home insurance policies (buildings or contents) bought by their customers. Each insurer is free to set the benchmarks at which it will offer flood insurance itself, or

cede the business to Flood RE, or perhaps refuse to offer flood cover at all. So there will be variations in the level of flood risk to the property which will result in Flood RE's involvement. Flood RE offers the insurer who cedes the business both capped premiums (set by reference to the property Council Tax band) and capped excess for the cover. Both will rise over the lifetime of the scheme, with the capped premiums rising in line with CPI. Flood RE will deal only with the insurer, not with the insured. See www.floodre.co.uk

Energy & Infrastructure

Non-renewable energy

Onshore oil and gas exploration and production licences relate to areas of land (blocks). The Oil and Gas Authority (OGA) grants the licences to operators. They must show technical and environmental competence and have access to funding. The government does not directly grant access rights. Planning permission must be sought from the Local Authority. Environmental permits must also be sought from the Environment Agency, Scottish Environment Protection Agency, or Natural Resources Wales.

As well as the areas currently licenced for oil and gas exploration, we will also show the 159 new licences that were offered under the 14th Onshore Oil and Gas Licensing Round to successful applicants.

Before any drilling activities can begin, the operator must first get planning permission. Contact your Local Planning Authority to get details of any current planning applications near to your property.

Fracking (Hydraulic Fracturing)

Fracking is just one technical part of the process needed for the development and operation of a shale gas facility. This includes exploration, production and abandonment. Each stage of the shale gas development process presents a distinct set of risks. These include contamination risk to groundwater and surface water, seismic risks, and amenity risks (for example, from increased traffic movements). The nature of risk depends upon both the impact should an event occur and the likelihood of it occurring. Some guidance has been produced in relation to shale gas by UK Government and environmental regulators. It is likely that significantly more will follow before commercial shale gas operations begin at any significant scale.

The fracking process involves injecting water and various other additives into the ground. Some negative media coverage of the process has occurred in the UK and USA. The differences in regulatory regime and geological conditions mean that direct comparison of the UK with the USA is not strictly applicable. A number of reports have been produced by proponents and opponents of the technology in the UK and Europe, with a small number of expert technical reports leading government and regulatory policy towards shale gas development in the UK. However, regulatory advice is currently limited.

There is general consensus that risks to property from fracking are low. The exact nature of risk depends upon site specific considerations.

Useful information

Renewable energy

Planning has a key role in providing renewable and low carbon energy facilities, where the local environmental impact is acceptable. Protection of local amenity is an important consideration which planning authorities consider when making their decisions.

No formal government compensation schemes currently exist for property owners located close to wind or solar farms.

The wind and solar energy industries are increasingly trying to work more closely with the government, councils, local communities and wider interest groups, to ensure that benefits associated with wind energy developments are felt by those who live locally. RenewableUK developed the Community Benefits Protocol in 2011 to ensure that the wind power industry delivers on these benefits. As part of the Protocol, developers commit to provide a minimum of £1000 per MW of installed capacity, or equivalent benefits, directly to host communities. Further information can be obtained from RenewableUK (<https://www.renewableuk.com/>).

Wind energy

Wind farms do not usually pose a risk to the surrounding environment. But due to the large areas they cover and the height of the turbines they can cause problems. These include visual impacts and those from noise/vibrations produced by the turbines. Ecological impacts can also be present although these tend not to be so relevant to property.

The biggest issue relates to the visual impact of a wind farm. The resulting changes of the visual landscape can be significant. This is particularly a problem in protected rural areas.

The wind is the UK's largest source of renewable energy generation. There are over 400 wind farms and around 4000 wind turbines in the UK. With many projects due to be developed these figures will continue to grow.

RenewableUK (<https://www.renewableuk.com/>) holds records of wind projects in the UK Wind Energy Database.

Solar energy

The main environmental impact of a solar farm is visual impact. Solar farms can cover large areas of land, but the structures within them are rarely higher than 2m above ground level. Visual impact can be reduced if planned and screened sensitively. A solar farm does not generate noise and is quick to construct (often only 1-2 months). There is very little maintenance traffic once construction completes.

Panels may be freestanding or attached to a building with a large surface area such as a warehouse roof. They are a form of renewable and low carbon energy production. They could help provide the UK with a secure energy supply and reduce greenhouse gas emissions.

Other renewable energy

As well as wind and solar power there are a variety of other renewable power sources in the UK. Details of the other types of renewable energy are:

- **Small / Large Hydroelectric**- Power stations that produce electricity using the gravitational force of falling or flowing water. Small hydro projects are those that produce 10 megawatts or less.
- **Shoreline Wave**- Electricity generation using sea surface waves
- **Tidal Barrage / Stream**- this is a form of hydroelectric power station that converts the energy of tides into electricity
- **Biomass** - Energy is created by burning biological material such as wood and certain types of Plants.
- **Co-firing**- A co-firing power plant burns biomass together with fossil fuels.
- **Anaerobic / Sewage Digestion**- The process produces a biogas, consisting partly of methane. This biogas can be used directly as fuel to generate electricity.
- **Hot Dry Rocks**- This is a type of geothermal power plant which uses heat produced naturally in the ground to create electricity.
- **Landfill Gas**- Burning of landfill gases to produce power
- **Energy From Waste (EfW) Incineration**- EfW is a form of energy recovery. Most EfW processes produce electricity and/or heat directly through burning.
- **Advanced Conversion Technology**- A process that produces gas by burning waste at extremely high temperatures. This achieves 100% degradation of the waste to "white ash". The gas produced is burnt for electricity generation and thermal energy distribution and utilisation.

Useful contacts

If after reading the details in this report regarding the sites identified, you still require further information, please contact the relevant agency or authority indicated in the Useful Contacts section quoting the corresponding reference given in the text of the report.

The contacts in the Useful Contacts section may be able to provide further information relating to items identified in the report, however they are not in a position to advise how these might affect the value of a property. The findings of the report should be discussed with your professional advisor.

1 Ordnance Survey

Adanac Drive
Southampton
SO16 0AS

 www.ordnancesurvey.co.uk
 customerservices@ordnancesurvey.co.uk
 03456 05 05 05

2 Environment Agency, National Customer Contact Centre (NCCC)

PO Box 544
Templeborough
Rotherham
S60 1BY

 enquiries@environment-agency.gov.uk
 03708 506 506

3 Landmark Information Group Limited

Landmark Information Group
Imperium
Imperial Way
Reading
RG2 0TD

 www.landmark.co.uk
 helpdesk@landmark.co.uk
 0330 036 6619

4 PinPoint Information Ltd

Riverbank House
1 Putney Bridge Approach
London
SW6 3JD

 www.pinpointinformation.co.uk

5 Sheffield City Council

Howden House
1 Union Street
Sheffield
S1 2SH

 www.sheffield.gov.uk
 0114 273 4215

6 Yorkshire and the Humber Regional Assembly, Planning

18 King St
Wakefield
WF1 2SQ

 www.yhassembly.gov.uk
 mail@yhassembly.gov.uk
 01924 331555

7 British Geological Survey, Enquiry Service

British Geological Survey
Environmental Science Centre
Keyworth
Nottingham
NG12 5GG

 www.bgs.ac.uk
 enquiries@bgs.ac.uk
 0115 936 3143

Important consumer protection information



This search has been produced by:

Landmark Information Group Limited

Imperium
Imperial Way
Berkshire
RG2 0TD

✉ helpdesk@landmark.co.uk

☎ 0330 036 6619

Conveyancing Information Executive (CIE) standards

Landmark adheres to the Conveyancing Information Executive (CIE) standards

- Conveyancing Information Executive Members shall act in a professional and honest manner at all times in line with the Conveyancing Information Executive Standards and carry out the delivery of the Search with integrity and due care and skill.
- Compliance with the Conveyancing Information Executive Standards will be a condition within the Conveyancing Information Executive Member's Terms and Conditions.
- Conveyancing Information Executive Members will promote the benefits of and deliver the Search to the agreed standards and in the best interests of the customer and associated parties.
- The standards can be seen here: <http://www.conveyinfoexec.com>

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Standards. Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPO.

TPOs

The Property Ombudsman scheme
Milford House
43-55 Milford Street
Salisbury
Wiltshire SP1 2BP

🌐 www.tpos.co.uk

✉ admin@tpos.co.uk

☎ 01722 333306

Complaints procedure

If you want to make a complaint to Landmark, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer, if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

Complaints should be sent to:

Customer Services Manager

Landmark Information
Imperium
Imperial Way
Reading
RG2 0TD

✉ helpdesk@landmark.co.uk

☎ 0330 036 6619

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman. We will co-operate fully with the Ombudsman during an investigation and comply with his final decision

Terms and conditions and copyright statement

Landmark Standard Terms and Conditions

Landmark Standard Terms and Conditions can be found here: https://www.landmark.co.uk/wp-content/uploads/2022/07/landmark_terms_and_conditions_299431_8.0_content.pdf. Should you experience difficulties, please call our Customer Service Team on 0330 036 6619.

All rights reserved. You must not reproduce, store or transmit any part of this document unless you have our written permission. ©2026 Landmark Information Group Ltd.

Copyright statement

Copyright Statement The data supplied for this Homecheck Residential falls under the following copyrights:

© Crown copyright and database rights 2026 OS AC0000813445

Contains OS data © Crown copyright and database rights 2026

© Environment Agency and database right 2026

Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2026

© GeoSmart Information Ltd.

© PinPoint Coal Limited

© Crown Copyright and Landmark Information Group Limited 2026. All rights reserved.

© Landmark Information Group and/or its Data Suppliers 2026

Contains Data from British Geological Survey © UKRI. Derived in part from Environment Agency data. All rights reserved.

Contains public sector information licensed under the Open Government Licence v3.0

Contains Data from British Geological Survey © UKRI. All rights reserved.

© Environment Agency copyright and/or database right 2026. All rights reserved. Contains information © Local Authorities

© 2026 Green Street

© 2026 118 Information - All Rights Reserved.

© Historic England 2026. Contains Ordnance Survey data © Crown copyright and database right 2026

© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2026.

© 2026 Barbour ABI. All rights reserved.

© OpenStreetMap contributors

Contains public sector information licensed under the Open Government Licence v2.0, © Crown Copyright. All rights reserved 2026

© RenewableUK 2026

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

© Stantec UK Limited 2026

© Cheshire Brine Subsidence Compensation Board 2026

The brine subsidence data relating to the Droitwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data. Contains Data from British Geological Survey © UKRI. Derived in part from UK Health Security Agency data. All rights reserved.

Property Address

14, Greenock Street, Sheffield, S6 4NB.

Records searched indicate

Water undertaker:	Yorkshire Water	Green
Water connection:	Connected	Green
Water within boundary:	Not identified	Green
Sewer undertaker:	Yorkshire Water	Green
Sewer connection:	Connected	Green
Surface connection:	Connected	Green
Sewers within boundary:	Identified	Red

Legend

Typical response

Caution - please refer to
relevant question

Needs attention

Got questions?

If you have any questions about the contents of this Drainage and Water Search, please contact our Customer Service team on [0800 052 0117](tel:0800 052 0117) or email cs@onesearchdirect.co.uk

Prepared by:

Hannah Bruce

Drainage & Water Team

Your reference:
20260529105123

Client reference:
**14, GREENOCK
STREET, SHEFFIELD,
S6 4NB**


Our reference:
D03608391

Date prepared:
01-06-2026



Summary

1.1	Drainage map	Enclosed
1.2	Water map	Enclosed
2.1	Foul water connected to public sewer	Connected
2.2	Surface water connected to public sewer	Connected
2.3	Surface water charges payable	Refer to vendor
2.4	Drainage assets within boundary	Identified
2.4.1	Surface water assets within boundary	Insured
2.5	Public sewer within 100ft	Found
2.5.1	Public sewer apparatus within 50m	Insured
2.6	Adoption agreements	None found
2.7	Building over agreements	See details
2.8	Internal flooding risk	Insured
2.9	Distance to treatment works	Insured
3.1	Mains water connection	Connected
3.2	Water assets within boundary	Not identified
3.3	Water adoption agreements	See details
3.4	Water pressure	Insured
3.5	Water supply classification	See details
3.6	Water meter location	See details
4.1.1	Sewerage undertaker	See Answer
4.1.2	Water Undertaker	See Answer
4.2	Sewerage service billing	Refer to vendor
4.3	Water service billing	Refer to vendor
4.4	Charging basis	Refer to vendor
4.5	Charging basis change expected	Insured



THIS MAP IS PROVIDED FOR INDICATIVE PURPOSES ONLY

Land Registry Plans are Crown Copyright, reproduced with the permission of Land Registry under delegated authority from the Controller of HMSO.
© Crown Copyright and Database Rights Ordnance Survey 100043397.

Notes

1. The position of any apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. No liability is accepted by OneSearch Direct for any error or omission. Assets are indicated for reference purposes only.

2. Private drains and sewers connecting the property to the public system may not be shown as water companies have not historically held these details. Only those assets indicated on the publicly available statutory maps are reproduced on this plan.

3. Section 104 sewers may not be shown on this plan.

4. On 1st October 2011 some private assets transferred to water company ownership, including private sewers and lateral drains. These assets will be indicated where they have been added to the statutory sewer maps, but may not be shown due to the historical nature of private sewers (See note 2).

5. The presence of service pipes should be anticipated and the actual position of mains should be verified and established on site prior to commencing any work

1. Maps

Enclosed



1.1 Sewer map

Where relevant, please include a copy of an extract from the public sewer map.

Answer

Please refer to the map provided within this report. Where relevant, assets have been transcribed onto this map.

Important notes

The pipes identified on the public sewer map as sewers are classified as assets for which the relevant Sewerage Undertaker holds statutory responsibility, in accordance with the Water Industry Act 1991.

Please note that Sewerage Undertakers do not maintain responsibility for features such as rivers, watercourses, ponds, culverts, or highway drains. Where these are shown on the map extract, they are included for informational purposes only and do not imply statutory responsibility.

Where private sewers or lateral drains are shown as being adoptable subject to a Section 104 agreement under the Water Industry Act 1991, these representations are not 'as constructed' records. We recommend that such details be verified directly with the developer or responsible party, where applicable.

In some cases, additional assets beyond public sewers, disposal mains, or lateral drains may appear on the map extract. These are also provided for information only and should not be interpreted as assets under the undertaker's statutory remit.

Enclosed



1.2 Water map

Where relevant, please include a copy of an extract from the map of waterworks.

Answer

Please refer to the map provided within this report. Where relevant, assets have been transcribed onto this map.

Important notes

The pipes identified on the public water map as water mains are classified as assets for which the relevant Water Undertaker holds statutory responsibility, in accordance with the Water Industry Act 1991.

Please note that Water Undertakers do not maintain responsibility for private water mains or private service pipes connecting the property to the public water main and do not hold details for these. Where these are shown on the map extract, they are included for informational purposes only and do not imply statutory responsibility.

Responsibility for these private connections lies with the property owner, and where shared arrangements exist, responsibility may be joint with neighbouring properties. These private assets may cross land not owned by the seller, and prospective buyers may wish to investigate whether legal easements or access rights are in place for inspection, maintenance, or renewal.

2. Drainage

Connected



2.1 Foul water

Does foul water from the property drain to a public sewer?

Answer

Records indicate that foul water from the property drains to a public sewer.

Important notes

The response above is based on the location of any public sewers as shown on the enclosed extract from the sewer records. This report should be read in conjunction with the property's water and sewerage bills, the vendor's property information questionnaire and any independent survey you may have commissioned.

Please note that Sewerage Undertakers do not maintain records of private drains or sewers that connect individual properties to the public network. Responsibility for these private connections typically lies with the property owner, and where shared arrangements exist, responsibility may be joint with neighbouring properties. These private assets may cross land not owned by the seller, and prospective buyers may wish to investigate whether legal easements or access rights are in place for inspection, maintenance, or renewal.

The enclosed sewer map highlights known public sewers near the property. From this, it may be possible to estimate the likely route and extent of any private drainage infrastructure serving the property.

If foul water does not drain to the public sewerage system, the property may have private facilities in the form of a septic tank, cesspit or other types of treatment plant.



2.2 Surface water

Does surface water from the property drain to a public sewer?

Answer

Records indicate that surface water from the property drains to a public sewer.

Important notes

The response above is based on the location of a public sewer as shown on the enclosed extract from the sewer records. This report should be read in conjunction with the property's water and sewerage bills, the vendor's property information questionnaire and any independent survey you may have commissioned.

Please note that Sewerage Undertakers do not maintain records of private drains or sewers that connect individual properties to the public network. Responsibility for these private connections typically lies with the property owner, and where shared arrangements exist, responsibility may be joint with neighbouring properties. These private assets may cross land not owned by the seller, and prospective buyers may wish to investigate whether legal easements or access rights are in place for inspection, maintenance, or renewal.

In certain instances, the records maintained by the Sewerage Undertaker may not clearly differentiate between foul water and surface water connections to the public sewerage network. If on inspection the buyer finds that the property does not discharge surface water to the public sewer, the property may be entitled to a reduction in the surface water drainage charges. Further information regarding eligibility and application procedures can be obtained directly from the relevant Water Company.

Where surface water from the property does not discharge into the public sewerage system, it is likely that alternative drainage arrangements are in place. These may include a soakaway system, a private outfall to a nearby watercourse, or integration with a Sustainable Urban Drainage System (SuDS). SuDS are designed to manage rainfall in a way that mimics natural processes, helping to reduce flood risk, improve water quality, and support biodiversity. They form part of a broader green infrastructure approach to urban water management.

The enclosed sewer map highlights known public sewers near the property. From this, it may be possible to estimate the likely route and extent of any private drainage infrastructure serving the property.

[Refer to vendor](#)


2.3 Surface water charges

Is a surface water drainage charge payable?

Answer

Please refer to the vendor or pre-contract documents. Obtaining a copy of a recent water bill will confirm the charging basis for the property.

Important notes

If surface water from a property enters the public sewer, a surface water drainage charge is usually included in the water and sewerage bill.

If a surface water drainage charge is applied, but the purchaser ascertains on inspection or an independent survey that surface water from the property does not discharge into a public sewer (for instance, if it drains to a soakaway or private system), the property may qualify for a rebate from the relevant Water Company.

For properties built after 6th of April 2015, the surface water drainage may be served by a Sustainable Drainage System. Further information may be available from the developer.



2.4 Drainage assets within boundary

Does the public sewer map indicate any public sewer, disposal main, or lateral drain within the boundaries of the property?

Answer

The map indicates an asset within the boundaries of the property. A full site inspection should be conducted prior to any works commencing to accurately locate any assets.

Important notes

This report should be read in conjunction with the property's sewerage and water billing records, any relevant survey documentation, and the vendor's property questionnaire. Since 1st October 2011, most private sewers subject to adoption agreements have been transferred into public ownership.

As a result, additional assets may exist within or near the property boundary that are not shown on the attached plan. The presence of a sewer is identified based on its proximity as indicated. Public assets shown as sewers are those for which the Sewerage Undertaker holds statutory responsibility under the Water Industry Act 1991.

For new or recently developed sites, purchasers must confirm asset records directly with the developer, as such details may not yet be reflected on the public sewer map.



2.4.1 Surface water assets within boundary

Does the public sewer map indicate any public pumping station or any other ancillary apparatus within the boundaries of the property?

Answer

Insurance has been implemented to indemnify against any Adverse Entries to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller, and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.



2.5 Public sewer within 100 feet

Does the public sewer map indicate any public sewer, disposal main, or lateral drain within 30.48 metres (100 feet) of the boundary of the property?

Answer

The public sewer map shows that there is a public sewer within 30.48 metres (100 feet) of the property boundary. It is possible for private sewers to exist within the radius which would not be shown on the public map.

Important notes

This report should be read in conjunction with the property's sewerage and water billing records, any relevant survey documentation, and the vendor's property questionnaire.

Since 1st October 2011, most private sewers subject to adoption agreements have been transferred into public ownership. As a result, additional public assets may exist within or near the property boundary that are not shown on the attached plan. The presence of a public sewer is identified based on its proximity as indicated.

Public assets shown as sewers are those for which the Sewerage Undertaker holds statutory responsibility under the Water Industry Act 1991.

For new or recently developed sites, the recipient must confirm asset records directly with the developer, as such details may not yet be reflected on the public sewer map.



2.5.1 Public sewer within 50m

Does the public sewer map indicate any public pumping station or any other ancillary apparatus within 50m of the property boundary?

Answer

Insurance has been implemented to indemnify against any Adverse Entries in response to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.



2.6 Adoption

Are any sewer or lateral drains serving, or which are proposed to serve the property the subject of an existing adoption agreement or an application for such an agreement?

Answer

Records indicate that the sewers serving the property are not the subject of an existing adoption agreement or an application for such an agreement.

Important notes

On 1 October 2011, in accordance with the Water Industry (Schemes for Adoption of Private Sewers) Regulations, all adoptable foul sewers subject to Section 104 agreements and laid prior to 1 July 2011 were transferred into public ownership, provided they were connected to the public sewerage system by that date. This transfer excluded any sewers that discharge to privately owned sewerage treatment or collection facilities.

Additionally, adoptable surface water sewers under Section 104 agreements were transferred where they discharge to the public sewerage system. However, those discharging to private watercourses, soakaways, or other non-public systems were not included in the transfer.

It should be noted that water company asset records are currently undergoing review and updates. As a result, some transferred assets may not yet be reflected on the public sewer map. Consequently, there may be sewers that are either not recorded or still shown as adoptable assets pending mapping updates.

[See details](#)


2.7 Building over agreements

Has a sewerage undertaker approved or been consulted about any plans to erect a building or extension on the property over or in the vicinity of a public sewer, disposal main or drain?

Answer

There is no statutory access to records confirming whether the sewerage undertaker has approved or been consulted about plans to erect a building or extension on the property or in the vicinity of a public sewer. Where a public asset is shown within the property boundary, further enquiries should be made with the relevant sewerage undertaker.

Important notes

Buildings or extensions constructed over a public sewer without the required consent may not comply with Part H4 of the Building Regulations, and alterations or removal could be necessary.

From 1 October 2011, many private sewers were transferred into public ownership. The sewerage undertaker may not have been consulted about developments over or near these assets.

Not all transferred assets are currently shown on public sewer maps. Therefore, additional sewers may exist that are not recorded, and caution is advised.



2.8 Internal flooding

Is the building which is, or forms, part of the property at risk of internal flooding due to overloaded public sewers?

Answer

Insurance has been implemented to indemnify against any Adverse Entries in response to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller, and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.



2.9 Sewage treatment works

Please state the distance from the property to the nearest boundary of the nearest sewage treatment works.

Answer

Insurance has been implemented to indemnify against any Adverse Entries in response to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller, and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.

3. Water

Connected



3.1 Mains water

Is the property connected to mains water supply?

Answer

Records indicate that the property is connected to the mains water supply.

Important notes

The response above is based on the location of any public water pipes as shown on the enclosed extract from the water records.

This report should be read in conjunction with the property's water and sewerage bills, the vendor's property information questionnaire and any independent survey you may have commissioned.

Not identified



3.2 Water assets within boundary

Are there any water mains within the boundaries of the property?

Answer

The map indicates there are no water mains within the boundaries of the property.

Important notes

Where a public water main is located within the boundary of a property, it may impose restrictions on future development or construction activities. This is due to statutory rights held by the relevant Water Undertaker, which include legal access to maintain, repair, or upgrade their infrastructure.

In such cases, representatives or contractors acting on behalf of the Water Undertaker may require entry to the property to carry out necessary works. These rights are exercised under statutory provisions and typically require advance notice.

See details



3.3 Water adoption

Is any water main or service pipe serving, or which is proposed to serve the property, the subject of an existing adoption agreement or an application for such an agreement?

Answer

Records indicate that water supply serving the property are not the subject of an existing adoption agreement or an application for such an agreement.

Important notes

For recent or ongoing developments where no agreement is in place and no public water mains are visible within the development, purchasers are advised to consult with the developer to determine the extent of any private water infrastructure for which they may assume responsibility.

Purchasers should also confirm whether the developer has approached the relevant Water Undertaker to arrange for water services to be supplied.



3.4 Water pressure

Is the property at risk of receiving low water pressure or flow?

Answer

Insurance has been implemented to indemnify against any Adverse Entries in response to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller, and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.

[See details](#)

3.5 Water supply classification

What is the classification of the water supply for the property?

Answer

Please refer to the vendor. Obtaining a copy of a recent water bill will confirm the classification for the property.

[See details](#)

3.6 Water meter

Please include details of the location of any water meter serving the property.

Answer

Please refer to the vendor. Obtaining a copy of a recent water bill will confirm the charging basis for the property.

4. Undertakers

[See Answer](#)

4.1.1 Sewerage undertaker

Who is responsible for providing the sewerage services for the property?

Answer

Yorkshire Water

Yorkshire Water Services Ltd, Western House, Halifax Road,, Bradford, BD6 2SZ.

Telephone: 0845 1 24 24 24

[See Answer](#)

4.1.2 Water undertaker

Who is responsible for providing the water services for the property?

Answer

Yorkshire Water

Yorkshire Water Services Ltd, Western House, Halifax Road,, Bradford, BD6 2SZ.

Telephone: 0845 1 24 24 24

[Refer to vendor](#)

4.2 Sewerage service billing

Who bills the property for sewerage services?

Answer

Please refer to the vendor. Obtaining a copy of a recent water bill will confirm the charging basis for the property.

[Refer to vendor](#)

4.3 Water service billing

Who bills the property for water services?

Answer

Please refer to the vendor. Obtaining a copy of a recent water bill will confirm the charging basis for the property.

[Refer to vendor](#)

4.4 Charging basis

What is the current basis for charging for sewerage and water services at the property?

Answer

Please refer to the vendor. Obtaining a copy of a recent water bill will confirm the charging basis for the property.



4.5 Charging basis change

Will the basis for charging for sewerage and water services at the property change as a consequence of a change of occupation?

Answer

Insurance has been implemented to indemnify against any Adverse Entries in response to this question which may affect this property.

Important notes

This indemnifies the Buyer, Seller, and Lender against the lesser of the deficit or that part of the deficit which results directly from the difference between the Market Value of the property without the Adverse Entry and the Market Value with the Adverse Entry.

Report Limitations

This report has been prepared specifically for use in connection with an individual residential property transaction. It is not intended to support or inform decisions related to property development.

The findings presented are based on information provided by the client and data sourced from selected private and public databases. No physical site investigation has been conducted. As such, while every effort has been made to ensure accuracy, OSD cannot guarantee that all potential issues have been identified, nor can we verify the completeness or accuracy of third-party data sources. OSD accepts no liability for any inaccuracies arising from third-party data.

We recommend that this report be considered alongside the property's water and sewerage bill, the vendor's property information questionnaire, any independent surveys, and professional legal advice.

Terms and Conditions

The Search Company

1. This Search Report was prepared by:
OneSearch Direct Limited
2nd Floor
Skypark 1
8 Elliot Place
Glasgow
G3 8EP
Tel: [0800 062 0117](tel:08000620117)
Email: cs@onesearchdirect.co.uk
2. OneSearch Direct is a Limited Company registered in Scotland, Company Number SC230285.
3. OneSearch maintain contractual relationships with various persons involved in the conveyancing process in the UK. OneSearch will disclose on the Search Report any personal or business relationship it has with individuals involved in the sale of the property as identified when the Search Report is prepared. OneSearch cannot accept liability for failing to disclose a relationship when a person's involvement in the transaction is not disclosed at the outset.

Terms for Preparation of Search

4. This Search Report does not consider whether all necessary consents have been obtained. Purchasing agents are advised to check these matters in accordance with their instructions.
5. OneSearch undertakes to prepare the Search Report based on the date of the request and cannot accept liability for any changes after that date unless otherwise agreed by the firm's own terms.

Legal Issues

6. The Search Report has been prepared with reasonable care and skill by staff trained and employed by OneSearch.
7. The seller of the subjects or the person acting as his/her estate agent may make copies of this Search Report subject to our prior agreement.
8. These terms are enforceable against OneSearch not only by the seller of the property but also by the purchaser of, or mortgage lender in respect of, the property, in their own right.
9. Any queries or complaints regarding the content of the Search Report; the manner in which the search was prepared or completed; or the service provided by staff of OneSearch should be submitted in line with the Customer Services as set out in paragraph 1. Claims may also be made under the relevant Insurance. (See also under Liability and Insurance below.)

Liability

10. This search is protected by Professional Indemnity Insurance arranged through Tokio Marine HCC, providing cover up to £10,000,000 and including six years of run-off protection. In addition, the search is supported by a separate indemnity insurance policy of £2,000,000, which covers liabilities arising from unanswered questions or incorrect information resulting from negligence or error by the organisation. Full policy details are available upon request.
11. If the insurance company goes out of business, compensation may be available from the Financial Services Compensation Scheme (FSCS). The FSCS is the UK's statutory fund of last resort for customers of authorised financial services firms, providing insurance compensation.

Complaints Procedure

12. OneSearch is registered with the Property Codes Compliance Board as a subscriber to the Search Code. The Ombudsman can award up to £500 in compensation if the Ombudsman finds that you have suffered actual financial loss and/or aggravation as a result of your search provider failing to keep to the Code.
- If you make a complaint, we will:

- Acknowledge your complaint within 5 working days of receipt.
- Normally deal with it fully and provide a final response in writing within 20 working days of receipt.
- Keep you informed by letter, telephone or email as you prefer if there needs to be more time.
- Provide a final response, in writing, within 40 working days of receipt.

Complaints should be addressed to Customer Services as set out in paragraph 1, either by letter, email, or telephone.

If you are not satisfied with our final response, you may refer your complaint to:

The Property Ombudsman

Tel: 01722 333306

Email: admin@tpos.co.uk

We will cooperate fully with the Ombudsman and comply with his decision.