




See More Online

KFB: Key Facts For Buyers

A Guide to This Property & the Local Area
Wednesday 06th May 2026



ST. MATTHEWS ROAD, WINCHESTER, SO22

Guide Price : £500,000


Sam Kerr-Smiley

07801 056784

sam@nonykerr-smiley.com

www.nonykerr-smiley.com

Property Overview



Property




Type:	Detached
Bedrooms:	2
Floor Area:	1,033 ft ² / 96 m ²
Plot Area:	0.1 acres
Year Built :	1960
Council Tax :	Band D
Annual Estimate:	£2,360
Title Number:	HP16668

Guide Price:	£500,000
Tenure:	Freehold

Local Area

Local Authority:	Hampshire
Conservation Area:	No
Flood Risk:	
● Rivers & Seas	Very low
● Surface Water	Very low

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

5 mb/s	41 mb/s	1000 mb/s
		

Mobile Coverage: (based on calls indoors)



Satellite/Fibre TV Availability:



Gallery Photos



Gallery Photos




ST. MATTHEWS ROAD, WINCHESTER, SO22

St. Matthews Road, SO22 6BT


Approximate Gross Internal Area
Main House = 1001 Sq Ft / 93.0 Sq M



 = Reduced headroom below 1.5m / 5'0



GROUND FLOOR



FIRST FLOOR

This plan is for illustrative purposes only and is not to scale. If specified, the Gross Internal Area (GIA), dimensions, North point orientation and the size and placement of features are approximate and should not be relied on as a statement of fact. No guarantee is given for the GIA and no responsibility is taken for any error, omission or misrepresentation.

Property EPC - Certificate

SO22		Energy rating	
		E	
Valid until 15.01.2036			
Score	Energy rating	Current	Potential
92+	A		
81-91	B		
69-80	C		
55-68	D		64 D
39-54	E	50 E	
21-38	F		
1-20	G		

Additional EPC Data

Property Type:	House
Build Form:	Detached
Transaction Type:	Marketed sale
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Previous Extension:	0
Open Fireplace:	1
Walls:	Cavity wall, as built, no insulation (assumed)
Walls Energy:	Poor
Roof:	Pitched, insulated (assumed)
Roof Energy:	Average
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, room thermostat and TRVs
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Below average lighting efficiency
Floors:	Solid, no insulation (assumed)
Total Floor Area:	96 m ²

Market Sold in Street




14, St Matthews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 15/07/2025 14/08/2017	
Last Sold Price: £625,000 £475,000	
19, St Matthews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 20/01/2021	
Last Sold Price: £475,000	
16, St Matthews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 08/11/2017 24/03/2011	
Last Sold Price: £545,000 £299,950	
25, St Matthews Road, Winchester, SO22 6BT	Semi-detached House
Last Sold Date: 21/05/2010	
Last Sold Price: £288,500	
13, St Matthews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 29/04/2010	
Last Sold Price: £290,000	
21, St Matthews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 23/10/2009	
Last Sold Price: £260,000	
15, St Mathews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 12/06/2008	
Last Sold Price: £268,000	
18, St Mathews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 20/07/2005	
Last Sold Price: £267,500	
16, St Mathews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 16/05/2002	
Last Sold Price: £207,500	
23, St Mathews Road, Winchester, SO22 6BT	Semi-detached House
Last Sold Date: 30/04/2001 11/06/1999	
Last Sold Price: £185,000 £142,500	
14, St Mathews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 30/11/2000	
Last Sold Price: £147,000	
19, St Mathews Road, Winchester, SO22 6BT	Detached House
Last Sold Date: 29/04/1999	
Last Sold Price: £128,000	

NOTE: In this list we display up to 6 most recent sales records per property, since 1995.

Market House Price Statistics



10 Year History of Average House Prices by Property Type in SO22



Detached

+63.86%

Semi-Detached

+63.92%

Terraced

+55.82%


Flat

+38.37%

Maps

Conservation Areas

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




Nearby Conservation Areas

- 1 Winchester
- 2 Littleton
- 3 Kings Worthy
- 4 Abbots Worthy
- 5 Sparsholt
- 6 Easton
- 7 Martyr Worthy
- 8 Chilland
- 9 Crawley
- 10 Avington

Maps

Council Wards


The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

- 1 St. Barnabas Ward
- 2 St. Paul Ward
- 3 St. Bartholomew Ward
- 4 St. Luke Ward
- 5 St. Michael Ward
- 6 The Worthys Ward
- 7 Badger Farm & Oliver's Battery Ward
- 8 Colden Common & Twyford Ward
- 9 Wonston & Micheldever Ward
- 10 Ampfield & Braishfield Ward

This map displays the noise levels from nearby network rail and HS1 railway routes that affect this property...



Rail Noise Data

This data indicates the level of noise according to the strategic noise mapping of rail sources within areas with a population of at least 100,000 people (agglomerations) and along Network Rail and HS1 traffic routes.

The data indicates the annual average noise levels for the 16-hour period between 0700 - 2300.


Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

5		75.0+ dB	■
4		70.0-74.9 dB	■
3		65.0-69.9 dB	■
2		60.0-64.9 dB	■
1		55.0-59.9 dB	■

Flood Risk

Rivers & Seas - Flood Risk

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: **Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.




Nearby Landfill Sites











1	Nuns Road-Winchester, Hampshire	Historic Landfill
2	Railway Cutting-Winnal Valley Road, Winchester, Hampshire	Historic Landfill
3	Disused Railway Cutting at Easton Lane-Winchester, Hampshire	Historic Landfill
4	Winnal-Winchester, Hampshire	Historic Landfill
5	Land Between Old Newbury Railway and A33-Land Between Old Newbury Railway and A33 at Winnall	Historic Landfill
6	Garnier Road Pumping Station-Winchester, Hampshire	Historic Landfill
7	Land Adjacent to Winchester Bypass-Abbots Worthy, Hampshire	Historic Landfill
8	Spitfire Link-Easton Lane, Winchester	Historic Landfill
9	Springvale Road-Winchester	Historic Landfill
10	King George V Playing Fields-Winchester	Historic Landfill

Maps


Listed Buildings

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1350726 - Church Cottage	Grade II	0.1 miles
	1095338 - Church Of St Matthew	Grade II	0.1 miles
	1350725 - Milestone	Grade II	0.2 miles
	1174056 - Weeke Manor	Grade II	0.2 miles
	1095455 - Dean Prior	Grade II	0.3 miles
	1095507 - 8 And 9, Clifton Road	Grade II	0.7 miles
	1480912 - Hampshire Archives And Local Studies	Grade II	0.7 miles
	1295882 - West End House	Grade II	0.7 miles
	1296974 - 11 And 12, Clifton Road	Grade II	0.7 miles
	1350655 - 10, Clifton Road	Grade II	0.7 miles









Area Schools




		Nursery	Primary	Secondary	College	Private
1	Weeke Primary School Ofsted Rating: Good Pupils: 397 Distance:0.16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Lanterns Nursery School and Extended Services Ofsted Rating: Outstanding Pupils: 108 Distance:0.35	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	The Westgate School Ofsted Rating: Outstanding Pupils: 1626 Distance:0.36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Harestock Primary School Ofsted Rating: Good Pupils: 197 Distance:0.48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Peter Symonds College Ofsted Rating: Outstanding Pupils:0 Distance:0.49	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Western Church of England Primary School Ofsted Rating: Good Pupils: 391 Distance:0.53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Henry Beaufort School Ofsted Rating: Good Pupils: 1047 Distance:0.54	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Osborne School Ofsted Rating: Outstanding Pupils: 223 Distance:0.67	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Area Schools





		Nursery	Primary	Secondary	College	Private
	Barton Farm Primary Academy Ofsted Rating: Outstanding Pupils: 168 Distance:0.75	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Swanwick Lodge Ofsted Rating: Not Rated Pupils:0 Distance:0.94	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	St Bede Church of England Primary School Ofsted Rating: Outstanding Pupils: 415 Distance:0.98	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Kings' School Ofsted Rating: Good Pupils: 1794 Distance:1.18	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	The Pilgrims School Ofsted Rating: Not Rated Pupils: 235 Distance:1.28	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Winchester College Ofsted Rating: Not Rated Pupils: 726 Distance:1.34	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Stanmore Primary School Ofsted Rating: Requires improvement Pupils: 187 Distance:1.46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Winnall Primary School Ofsted Rating: Good Pupils: 190 Distance:1.52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Local Area Masts & Pylons





Key:


-  Power Pylons
-  Communication Masts

What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Local Area Road Noise




The data indicates the level of noise according to strategic noise sources across all traffic routes. This indicates a 25 house annual average noise level with separate weightings for the evening and the night periods.

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Ground Composition for this Address (Surrounding square kilometer zone around property)


Carbon Content:	HIGH	Soil Texture:	CHALKY, SILTY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	INTERMEDIATE-SHALLOW
Soil Group:	MEDIUM(SILTY) TO LIGHT(SILTY) TO HEAVY		



Primary Classifications (Most Common Clay Types)


C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Area Transport (National)




National Rail Stations

Pin	Name	Distance
1	Winchester Rail Station	0.69 miles
2	Winchester Rail Station	0.69 miles
3	Shawford Rail Station	3.54 miles



Trunk Roads/Motorways


Pin	Name	Distance
1	M3 J11	2.57 miles
2	M3 J10	2.14 miles
3	M3 J9	1.75 miles
4	M3 J12	5.54 miles
5	M3 J13	7.14 miles



Airports/Helipads


Pin	Name	Distance
1	North Stoneham	8.6 miles
2	Southampton Airport	8.6 miles
3	Bournemouth International Airport	29.94 miles
4	Heathrow Airport Terminal 4	46.7 miles

Area Transport (Local)




Bus Stops/Stations

Pin	Name	Distance
1	Weeke Primary School	0.14 miles
2	Westman Road	0.19 miles
3	Stockbridge Road	0.24 miles
4	Stoney Lane	0.22 miles
5	Dean Lane Corner	0.21 miles



Local Connections

Pin	Name	Distance
1	Alresford (Mid Hants Railway)	7.52 miles



Ferry Terminals

Pin	Name	Distance
1	Southampton Vehicle Ferry Terminal	12.7 miles
2	Southampton Passenger Ferry Terminal	12.78 miles



Sam Kerr-Smiley

Sam and Nony are independent estate agents specialising in selling houses in and around Winchester. They take total and personal responsibility for each home – from valuing it initially, attending the photography sessions to ensure that it looks as good as it possibly can for the marketing material. They undertake all the viewings themselves and get to know each home really well, negotiating the offers, and then personally manage each sale through to exchange and completion.

It is their strong belief that they offer an approach that manages to be both powerful and unique, whilst never forgetting that their clients are the single most important aspect both of their personal business, and that of Martin and Co with whom they work and sit under the legal compliance and infrastructure of.

Testimonial 1



After going through the process of selling and buying simultaneously, I realised how exceptional this duo is! Always direct, no airs and graces, pure professionalism. Always one point of contact "Nony" Whatever time of day. She never sugar coats and a massive support through a nail-biting process. I would highly recommend Nony to anyone looking to sell their property! Thank you!

Testimonial 2



Nony and Sam aren't your typical estate agents. From the outset, they were by far the most interested in helping us, and they really cared. There was SO much back and forth with surveyors etc due to the age of the property, and they guided us through that process, and cajoled the many different agents and solicitors in the chain to get us over the line. Thanks so much Nony and Sam! You guys are first class.

Testimonial 3



Nony engages deeply with all parties involved to make the difficult and fraught process of buying and selling a property much easier. Her knowledge of the Winchester property market, and her warm but realistic approach to getting a sale done, sets her apart from many of her peers. Nony loves what she does, looks after everyone involved and keeps all parties focused on completing the deal.



/MartinCoWinchester



/MAC_Winchester

Important - Please Read

These particulars do not constitute any part of an offer or contract. All statements in these details are made without liability on the part of Sam Kerr-Smiley or the seller.

They should not be relied upon as a statement or representation of fact and, although believed to be correct, are not guaranteed and form no part of an offer or contract. Any intending buyers must satisfy themselves as to their correctness.

Please note that all appliances and heating systems are not tested by Sam Kerr-Smiley and therefore no warranties can be given as to their good working order.

Sam Kerr-Smiley

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Sam Kerr-Smiley

07801 056784

sam@nonykerr-smiley.com

www.nonykerr-smiley.com

