




# MIR: Material Info

The Material Information Affecting this Property  
**Friday 27th March 2026**



## RIVERSIDE CLOSE, BRIDGWATER, TA6

### Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS  
01749 372200  
sheptonmallet@cooperandtanner.co.uk  
cooperandtanner.co.uk




## Freehold Title Plan



**ST280203**

## Leasehold Title Plan



**ST267358**

Start Date: 28/10/2007  
End Date: 01/01/2131  
Lease Term: 125 years from 1 January 2006  
Term Remaining: 104 years

# Property Overview

COOPER AND TANNER



## Property

<b>Type:</b>	Flat / Maisonette	<b>Tenure:</b>	Leasehold
<b>Bedrooms:</b>	2		
<b>Floor Area:</b>	656 ft <sup>2</sup> / 61 m <sup>2</sup>		
<b>Plot Area:</b>	0.04 acres		
<b>Year Built :</b>	2007		
<b>Council Tax :</b>	Band A		
<b>Annual Estimate:</b>	£1,626		
<b>Title Number:</b>	ST267358		

## Local Area

<b>Local Authority:</b>	Somerset
<b>Conservation Area:</b>	No
<b>Flood Risk:</b>	
• Rivers & Seas	Low
• Surface Water	Very low

### Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

<b>8</b> mb/s	<b>80</b> mb/s	<b>1000</b> mb/s

### Mobile Coverage: (based on calls indoors)



### Satellite/Fibre TV Availability:





TA6

Energy rating

**B**

Valid until 23.05.2033

Score	Energy rating	Current	Potential
92+	<b>A</b>		
81-91	<b>B</b>	83   <b>B</b>	83   <b>B</b>
69-80	<b>C</b>		
55-68	<b>D</b>		
39-54	<b>E</b>		
21-38	<b>F</b>		
1-20	<b>G</b>		

# Property EPC - Additional Data

## Additional EPC Data

<b>Property Type:</b>	Flat
<b>Build Form:</b>	Semi-Detached
<b>Transaction Type:</b>	Rental
<b>Energy Tariff:</b>	Single
<b>Main Fuel:</b>	Mains gas (not community)
<b>Main Gas:</b>	Yes
<b>Floor Level:</b>	01
<b>Flat Top Storey:</b>	No
<b>Glazing Type:</b>	Double glazing installed during or after 2002
<b>Previous Extension:</b>	0
<b>Open Fireplace:</b>	0
<b>Ventilation:</b>	Natural
<b>Walls:</b>	Cavity wall, as built, insulated (assumed)
<b>Walls Energy:</b>	Good
<b>Roof:</b>	(another dwelling above)
<b>Main Heating:</b>	Boiler and radiators, mains gas
<b>Main Heating Controls:</b>	Programmer, room thermostat and TRVs
<b>Hot Water System:</b>	From main system
<b>Hot Water Energy Efficiency:</b>	Good
<b>Lighting:</b>	Low energy lighting in all fixed outlets
<b>Floors:</b>	(another dwelling below)
<b>Total Floor Area:</b>	61 m <sup>2</sup>

## Building Safety

---

## Accessibility / Adaptations

---

## Restrictive Covenants

---

## Rights of Way (Public & Private)

---

## Construction Type

---

**Property Lease Information**

---

**Listed Building Information**

---

**Stamp Duty**

---

**Other**

---

**Other**

---

## Electricity Supply

---

Mains

## Gas Supply

---

Mains

## Central Heating

---

Gas Central Heating

## Water Supply

---

Mains

## Drainage

---

Mains

## Testimonial 1



Fantastic Service from Cooper & Tanner in Shepton Mallet! As a mortgage broker, i deal with a lot of estate agents and things can be cut throat and very non personable. I was helping a vulnerable client purchase his forever home and he was completely unsavvy with this world so i was concerned for him getting through the process, however, Andrea was absolutely amazing. She kept us completely up to date and was ALWAYS available for support!

## Testimonial 2



I have just completed today on the sale of my parents property in Shepton Mallet and I wanted to give a glowing review to Copper and Tanner who have been fantastic throughout. They are professional, friendly and helpful. They kept us up to date and often went above and beyond what was required of an estate agent. We needed to sell the house to pay for care home fees for my our Mum which has been hard work especially as we don't live in Shepton.

## Testimonial 3



Our experience with the lettings team at Cooper and Tanner was fantastic. We dealt with Lauren mainly, who was always happy to take our questions to the landlords and came back promptly with the answers for us. She was always polite and professional when we met her for viewings and has been a pleasure to deal. She made the whole process from finding somewhere that would accept a dog, to offer acceptance, referencing and finally the move in day. Thank you.

## Testimonial 4



Chris, Andrea, Sally and Lucy were a pleasure to deal with during my conveyancing process. They were knowledgeable and communicated well,keeping informed of developments and doing everything possible for completion to happen. Many thanks to the whole team.




---

**Important - Please read**


---

# Flood Risk

## Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

# Flood Risk

## Rivers & Seas - Flood Risk

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



# Flood Risk

## Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: **Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- **Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- **Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- **Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

# Maps

## Conservation Areas

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




### Nearby Conservation Areas

- 1 Bridgewater Central Area and Dock
- 2 Bridgewater St John's
- 3 Bridgewater Northfield
- 4 Cannington
- 5 Spaxton
- 6 Stogursey
- 7 Nether Stowey

# Maps

## Landfill Sites

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



### Nearby Landfill Sites

<b>1</b>	Land Off Saltlands Avenue-Bridgwater, Somerset	Historic Landfill
<b>2</b>	Land at Saltlands-Bridgwater, Somerset	Historic Landfill
<b>3</b>	Land at Bristol Road-Bridgwater, Somerset	Historic Landfill
<b>4</b>	Saltlands Waste Disposal Site-Bridgwater, Somerset	Historic Landfill
<b>5</b>	Pit off The Drove-Bridgewater, Somerset	Historic Landfill
<b>6</b>	The Leggar-Sydenham, Bridgewater	Historic Landfill
<b>7</b>	Flooded Pits-Chilton Trinity	Historic Landfill
<b>8</b>	Chilton Trinity former Clay Pits-Chilton Trinity, Bridgewater, Somerset	Historic Landfill
<b>9</b>	Bristol Road-Bridgewater	Historic Landfill
<b>10</b>	Bath Road-Bridgewater	Historic Landfill

# Maps

## Coal Mining

This map displays nearby coal mine entrances and their classifications.



### Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft


The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

# Maps

## Council Wards

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



### Nearby Council Wards



- 1 Bridgwater Victoria Ward
- 2 Bridgwater Eastover Ward
- 3 Bridgwater Westover Ward
- 4 Bridgwater Fairfax Ward
- 5 Bridgwater Dunwear Ward
- 6 Bridgwater Wyndham Ward
- 7 Bridgwater Hamp Ward
- 8 Cannington and Wembdon Ward
- 9 Puriton and Woolavington Ward
- 10 King's Isle Ward

# Environment

## Radon Gas


### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m<sup>3</sup>).



Ground Composition for this Address (Surrounding square kilometer zone around property)

<b>Carbon Content:</b>	VARIABLE	<b>Soil Texture:</b>	LOAM TO CLAY
<b>Parent Material Grain:</b>	ARGILLACEOUS	<b>Soil Depth:</b>	DEEP
<b>Soil Group:</b>	MEDIUM TO HEAVY		




## Primary Classifications (Most Common Clay Types)



<b>C/M</b>	Claystone / Mudstone
<b>FPC,S</b>	Floodplain Clay, Sand / Gravel
<b>FC,S</b>	Fluvial Clays & Silts
<b>FC,S,G</b>	Fluvial Clays, Silts, Sands & Gravel
<b>PM/EC</b>	Prequaternary Marine / Estuarine Clay / Silt
<b>QM/EC</b>	Quaternary Marine / Estuarine Clay / Silt
<b>RC</b>	Residual Clay
<b>RC/LL</b>	Residual Clay & Loamy Loess
<b>RC,S</b>	River Clay & Silt
<b>RC,FS</b>	Riverine Clay & Floodplain Sands and Gravel
<b>RC,FL</b>	Riverine Clay & Fluvial Sands and Gravel
<b>TC</b>	Terrace Clay
<b>TC/LL</b>	Terrace Clay & Loamy Loess

# Local Area Masts & Pylons

COOPER  
AND  
TANNER




**Key:**

-  Power Pylons
-  Communication Masts


# Maps

## Listed Buildings


This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1205648 - Crown Mills	Grade II	0.2 miles
 1197408 - Harbour Master's House	Grade II	0.3 miles
 1355195 - Dock Cottages	Grade II	0.3 miles
 1206110 - Brick Kiln	Grade II	0.3 miles
 1197404 - Pair Of Gate Piers Approx 50 Metres North West Of Wares Warehouse	Grade II	0.4 miles
 1197419 - Nos 3 To 6 And Attached Walls	Grade II	0.4 miles
 1197403 - Wares Warehouse (bridgwater Dock)	Grade II	0.4 miles
 1197401 - Bridgwater Dock, Tidal Basin, Locks, Quaysides, Bridges And Fittings	Grade II	0.4 miles
 1025042 - Pair Of Gate Piers Approximately 30 Metres North East Of Wares Warehouse	Grade II	0.4 miles
 1025037 - 1-19, Russell Place	Grade II	0.4 miles




		Nursery	Primary	Secondary	College	Private
<b>1</b>	<b>Chilton Trinity School</b> Ofsted Rating: Requires improvement   Pupils: 970   Distance:0.21	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>2</b>	<b>Northgate Primary School</b> Ofsted Rating: Good   Pupils: 256   Distance:0.55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>3</b>	<b>Eastover Primary School</b> Ofsted Rating: Good   Pupils: 412   Distance:0.66	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>4</b>	<b>Bridgwater and Taunton College</b> Ofsted Rating: Good   Pupils:0   Distance:0.82	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>5</b>	<b>The Bridge School Sedgemoor</b> Ofsted Rating: Good   Pupils: 59   Distance:0.88	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6</b>	<b>Willowdown Primary School</b> Ofsted Rating: Requires improvement   Pupils: 307   Distance:0.95	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7</b>	<b>Westover Green Community School and Autism Centre</b> Ofsted Rating: Good   Pupils: 405   Distance:0.98	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8</b>	<b>Bridgwater College Academy</b> Ofsted Rating: Requires improvement   Pupils: 1595   Distance:0.99	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
<b>9</b>	<b>St Joseph's Catholic Primary School, Bridgwater</b> Ofsted Rating: Good   Pupils: 206   Distance:1.08	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10</b>	<b>Wembdon St George's Church School</b> Ofsted Rating: Good   Pupils: 319   Distance:1.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>11</b>	<b>Robert Blake School</b> Ofsted Rating: Requires improvement   Pupils: 1046   Distance:1.26	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>12</b>	<b>Polden Bower School</b> Ofsted Rating: Good   Pupils: 223   Distance:1.27	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>13</b>	<b>St John and St Francis Church School</b> Ofsted Rating: Good   Pupils: 405   Distance:1.32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>14</b>	<b>Hamp Nursery and Infants' School</b> Ofsted Rating: Good   Pupils: 273   Distance:1.38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>15</b>	<b>Hamp Academy</b> Ofsted Rating: Good   Pupils: 329   Distance:1.38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>16</b>	<b>Haygrove School</b> Ofsted Rating: Good   Pupils: 1066   Distance:1.38	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

# Area Transport (National)



## National Rail Stations

Pin	Name	Distance
1	Bridgwater Rail Station	0.89 miles
2	Highbridge & Burnham-on-Sea Rail Station	5.67 miles
3	Highbridge & Burnham-on-Sea Rail Station	5.69 miles



## Trunk Roads/Motorways


Pin	Name	Distance
1	M5 J29	34.69 miles
2	M5 J30	35.69 miles
3	M5 J31	38.79 miles



## Airports/Helipads


Pin	Name	Distance
1	Bristol Airport	21.3 miles
2	Felton	21.3 miles
3	Cardiff Airport	23.15 miles
4	Exeter Airport	33.47 miles

# Area Transport (Local)




## Bus Stops/Stations

Pin	Name	Distance
1	East Quay Medical Centre	0.19 miles
2	Chilton Street	0.15 miles
3	Chilton Street	0.17 miles
4	Chilton Trinity School	0.21 miles
5	Western Way	0.34 miles



## Local Connections

Pin	Name	Distance
1	Bishops Lydeard (West Somerset Railway)	10.17 miles



## Ferry Terminals

Pin	Name	Distance
1	Bridgwater Ferry Terminal	0.54 miles

# Cooper and Tanner

## Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



### Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



#### Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS  
01749 372200  
sheptonmallet@cooperandtanner.co.uk  
cooperandtanner.co.uk

