



MIR: Material Info

The Material Information Affecting this Property

Monday 05th October 2026



JANSON CLOSE, BRIDGWATER, TA6

Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS

01749 372200



sheptonmallet@cooperandtanner.co.uk

cooperandtanner.co.uk



Property Overview

COOPER
AND
TANNER



Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	2		
Floor Area:	581 ft ² / 54 m ²		
Plot Area:	0.04 acres		
Year Built :	1983-1990		
Council Tax :	Band A		
Annual Estimate:	£1,707		
Title Number:	ST73984		


Local Area

Local Authority:	Somerset
Conservation Area:	No
Flood Risk:	
• Rivers & Seas	Low
• Surface Water	Very low

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

6 mb/s	80 mb/s	1800 mb/s
		

Mobile Coverage: (based on calls indoors)



Satellite/Fibre TV Availability:



Planning records for: *11 Janson Close, Bridgwater, TA6 4XX*

Reference - 08/04/00324	
Decision:	Granted Permission
Date:	18th November 2004
Description:	Erection of rear garden room/store


Planning records for: *14 Janson Close, Bridgwater, TA6 4XX*

Reference - 08/16/00048	
Decision:	Refuse Planning Permission
Date:	23rd March 2016
Description:	Retention of use of land to site a storage container

Reference - 08/18/00043	
Decision:	Refuse Planning Permission
Date:	01st March 2018
Description:	Erection of detached garage

Planning records for: *16 Janson Close, Bridgwater, Somerset, TA6 4XX*

Reference - 08/00/00068	
Decision:	Granted Permission
Date:	10th March 2000
Description:	Erection of front porch



Property EPC - Additional Data

COOPER
AND
TANNER


Additional EPC Data

Property Type:	House
Build Form:	End-Terrace
Transaction Type:	Rental
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Double glazing installed during or after 2002
Previous Extension:	0
Open Fireplace:	0
Ventilation:	Natural
Walls:	Cavity wall, filled cavity
Walls Energy:	Good
Roof:	Pitched, 250 mm loft insulation
Roof Energy:	Good
Main Heating:	Room heaters, mains gas
Main Heating Controls:	Appliance thermostats
Hot Water System:	Electric immersion, standard tariff
Hot Water Energy Efficiency:	Very Poor
Lighting:	Low energy lighting in 83% of fixed outlets
Floors:	Suspended, no insulation (assumed)
Total Floor Area:	54 m ²

Flood Risk

Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change

COOPER
AND
TANNER

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

Flood Risk

Rivers & Seas - Flood Risk

COOPER
AND
TANNER

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change

COOPER
AND
TANNER

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

Maps

Conservation Areas

COOPER
AND
TANNER

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas


-  Bridgwater St John's
-  Bridgwater Central Area and Dock
-  Bridgwater Northfield
-  Cannington
-  Spaxton
-  Shapwick

Maps

Landfill Sites

COOPER
AND
TANNER


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Bath Road-Bridgwater	Historic Landfill
2	Bristol Road-Bridgwater	Historic Landfill
3	East Bower-Bridgwater	Historic Landfill
4	Pit off The Drove-Bridgewater, Somerset	Historic Landfill
5	Land at Bristol Road-Bridgwater, Somerset	Historic Landfill
6	The Leggar-Sydenham, Bridgewater	Historic Landfill
7	Site Near M5 Westonzoyland Road-Bridgwater, Somerset	Historic Landfill
8	Saltlands Waste Disposal Site-Bridgwater, Somerset	Historic Landfill
9	Pond at Westonzoyland Road-Bridgwater	Historic Landfill
10	Land Off Saltlands Avenue-Bridgwater, Somerset	Historic Landfill

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Council Wards

COOPER
AND
TANNER

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





Nearby Council Wards

-  Bridgwater Fairfax Ward
-  Bridgwater Eastover Ward
-  Bridgwater Dunwear Ward
-  Bridgwater Victoria Ward
-  Bridgwater Westover Ward
-  Bridgwater Hamp Ward
-  Bridgwater Wyndham Ward
-  King's Isle Ward
-  Puriton and Woolavington Ward
-  Cannington and Wembdon Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	CLAY TO SANDY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	DEEP
Soil Group:	ALL		




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons

COOPER
AND
TANNER



Key:


-  Power Pylons
-  Communication Masts

Maps

Listed Buildings

COOPER
AND
TANNER

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1297180 - Sydenham Manor House	Grade II	0.5 miles
 1187364 - Bridgwater Railway Station	Grade II	0.8 miles
 1297166 - Toll House	Grade II	0.9 miles
 1197397 - 38, Monmouth Street	Grade II	0.9 miles
 1197398 - 46, 48 And 48a, Monmouth Street	Grade II	0.9 miles
 1060108 - West End Farmhouse	Grade II	0.9 miles
 1297167 - 50, Monmouth Street	Grade II	0.9 miles
 1197399 - 68, Monmouth Street	Grade II	0.9 miles
 1355073 - 40 And 42, Monmouth Street	Grade II	0.9 miles
 1297165 - 5, Monmouth Street	Grade II	1.0 miles

Building Safety

Accessibility / Adaptations

Restrictive Covenants

Rights of Way (Public & Private)

Construction Type

Property Lease Information

Listed Building Information

Stamp Duty

Other

Other

Electricity Supply

Mains

Gas Supply

Mains

Central Heating


Gas Central Heating

Water Supply


Mains

Drainage

Mains




		Nursery	Primary	Secondary	College	Private
1	Bridgwater College Academy Ofsted Rating: Requires improvement Pupils: 1595 Distance:0.34	☐	☒	☒	☐	☐
2	Willowdown Primary School Ofsted Rating: Requires improvement Pupils: 307 Distance:0.53	☐	☒	☐	☐	☐
3	Bridgwater and Taunton College Ofsted Rating: Good Pupils:0 Distance:0.58	☐	☐	☒	☐	☐
4	St John and St Francis Church School Ofsted Rating: Good Pupils: 405 Distance:0.81	☐	☒	☐	☐	☐
5	Eastover Primary School Ofsted Rating: Good Pupils: 412 Distance:0.85	☐	☒	☐	☐	☐
6	Northgate Primary School Ofsted Rating: Good Pupils: 256 Distance:1.28	☐	☒	☐	☐	☐
7	Chilton Trinity School Ofsted Rating: Requires improvement Pupils: 970 Distance:1.33	☐	☐	☒	☐	☐
8	The Bridge School Sedgemoor Ofsted Rating: Good Pupils: 59 Distance:1.55	☐	☐	☒	☐	☐



		Nursery	Primary	Secondary	College	Private
9	Polden Bower School Ofsted Rating: Good Pupils: 223 Distance:1.62	☐	☐	☒	☐	☐
10	Robert Blake School Ofsted Rating: Requires improvement Pupils: 1046 Distance:1.68	☐	☐	☒	☐	☐
11	Westover Green Community School and Autism Centre Ofsted Rating: Good Pupils: 405 Distance:1.72	☐	☒	☐	☐	☐
12	Hamp Nursery and Infants' School Ofsted Rating: Good Pupils: 273 Distance:1.78	☐	☒	☐	☐	☐
13	Hamp Academy Ofsted Rating: Good Pupils: 329 Distance:1.78	☐	☒	☐	☐	☐
14	Kingsmoor Primary School Ofsted Rating: Good Pupils: 176 Distance:1.79	☐	☒	☐	☐	☐
15	St Joseph's Catholic Primary School, Bridgwater Ofsted Rating: Good Pupils: 206 Distance:1.93	☐	☒	☐	☐	☐
16	Somerset Bridge Primary School Ofsted Rating: Good Pupils: 408 Distance:2	☐	☒	☐	☐	☐


Area Transport (National)

COOPER
AND
TANNER




National Rail Stations

Pin	Name	Distance
1	Bridgwater Rail Station	0.83 miles
2	Highbridge & Burnham-on-Sea Rail Station	5.67 miles
3	Taunton Rail Station	9.52 miles
4	Bishop's Lydeard Rail Station	11 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M5 J23	2.16 miles
2	M5 J24	2.45 miles
3	M5 J22	7.04 miles
4	M5 J25	8.93 miles




Airports/Helipads

Pin	Name	Distance
1	Bristol International Airport	20.77 miles


Area Transport (Local)

COOPER
AND
TANNER




Bus Stops/Stations

Pin	Name	Distance
1	Bayford Road	0.1 miles
2	Chamberlain Avenue	0.12 miles
3	Poplar Road	0.12 miles
4	Polden Meadows	0.18 miles
5	Bower Avenue	0.19 miles



Local Connections

Pin	Name	Distance
1	Bishops Lydeard (West Somerset Railway)	11 miles
2	Crowcombe Heathfield (West Somerset Railway)	11.42 miles



Ferry Terminals

Pin	Name	Distance
1	Bridgwater Ferry Terminal	0.83 miles

Cooper and Tanner Testimonials

COOPER
AND
TANNER

Testimonial 1



Fantastic Service from Cooper & Tanner in Shepton Mallet! As a mortgage broker, i deal with a lot of estate agents and things can be cut throat and very non personable. I was helping a vulnerable client purchase his forever home and he was completely unsavvy with this world so i was concerned for him getting through the process, however, Andrea was absolutely amazing. She kept us completely up to date and was ALWAYS available for support!

Testimonial 2



I have just completed today on the sale of my parents property in Shepton Mallet and I wanted to give a glowing review to Copper and Tanner who have been fantastic throughout. They are professional, friendly and helpful. They kept us up to date and often went above and beyond what was required of an estate agent. We needed to sell the house to pay for care home fees for my our Mum which has been hard work especially as we don't live in Shepton.

Testimonial 3



Our experience with the lettings team at Cooper and Tanner was fantastic. We dealt with Lauren mainly, who was always happy to take our questions to the landlords and came back promptly with the answers for us. She was always polite and professional when we met her for viewings and has been a pleasure to deal. She made the whole process from finding somewhere that would accept a dog, to offer acceptance, referencing and finally the move in day. Thank you.

Testimonial 4



Chris, Andrea, Sally and Lucy were a pleasure to deal with during my conveyancing process. They were knowledgeable and communicated well, keeping informed of developments and doing everything possible for completion to happen. Many thanks to the whole team.



/cooperandtanner



/cooper_and_tanner/

Important - Please read

Cooper and Tanner

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS
01749 372200
sheptonmallet@cooperandtanner.co.uk
cooperandtanner.co.uk

