




KPF: Key Property Facts

An Analysis of This Property & The Local Area

Tuesday 20th January 2026



10, REDTHORN GROVE, BIRMINGHAM, B33 8BE

Landwood Group

77 Deansgate Manchester M3 2BW

0161 710 2010




louise.bugeja@landwoodgroup.com

<https://landwoodgroup.com/>



Property Overview

LANDWOOD GROUP



Property

Type:	Semi-Detached
Bedrooms:	2
Floor Area:	925 ft ² / 86 m ²
Plot Area:	0.05 acres
Year Built :	1930-1949
Council Tax :	Band B
Annual Estimate:	£1,746
Title Number:	WM145426
UPRN:	100070492386


Last Sold Date:	30/03/2005
Last Sold Price:	£147,500
Last Sold £/ft ² :	£159
Tenure:	Freehold

Local Area

Local Authority:	Birmingham
Conservation Area:	No
Flood Risk:	
● Rivers & Seas	Very low
● Surface Water	Very low

Estimated Broadband Speeds

(Standard - Superfast - Ultrafast)

16	80	1800
mb/s	mb/s	mb/s
		

Mobile Coverage:

(based on calls indoors)



Satellite/Fibre TV Availability:



Property EPC - Certificate

LANDWOOD
GROUP

10, Redthorn Grove, B33 8BE

Energy rating

D

Valid until 29.08.2029

Score	Energy rating	Current	Potential
92+	A		
81-91	B		85 B
69-80	C		
55-68	D	63 D	
39-54	E		
21-38	F		
1-20	G		

Property

EPC - Additional Data

LANDWOOD
GROUP

Additional EPC Data

Property Type:	House
Build Form:	Semi-Detached
Transaction Type:	Rental (private)
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Double glazing, unknown install date
Previous Extension:	1
Open Fireplace:	0
Ventilation:	Natural
Walls:	Solid brick, as built, no insulation (assumed)
Walls Energy:	Very Poor
Roof:	Pitched, 200 mm loft insulation
Roof Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer and room thermostat
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Suspended, no insulation (assumed)
Total Floor Area:	86 m ²

Maps

Coal Mining

LANDWOOD
GROUP

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Conservation Areas

LANDWOOD
GROUP

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas


- 1 Old Yardley
- 2 Conservation Area - Castle Bromwich
- 3 Warwick Bar
- 4 Digbeth, Deritend and Bordesley High Streets
- 5 Steelhouse
- 6 Aston Hall and Church
- 7 Colmore Row and Environs
- 8 Water Orton
- 9 St Agnes
- 10 Jewellery Quarter

Maps

Council Wards

LANDWOOD
GROUP

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards


- 1 Yardley West & Stechford Ward
- 2 Yardley East Ward
- 3 Heartlands Ward
- 4 Glebe Farm & Tile Cross Ward
- 5 Bromford & Hodge Hill Ward
- 6 Garretts Green Ward
- 7 Ward End Ward
- 8 South Yardley Ward
- 9 Small Heath Ward
- 10 Alum Rock Ward

Maps

Rail Noise

LANDWOOD
GROUP

This map displays the noise levels from nearby network rail and HS1 railway routes that affect this property...








Rail Noise Data

This data indicates the level of noise according to the strategic noise mapping of rail sources within areas with a population of at least 100,000 people (agglomerations) and along Network Rail and HS1 traffic routes.

The data indicates the annual average noise levels for the 16-hour period between 0700 - 2300.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:


5		75.0+ dB	
4		70.0-74.9 dB	
3		65.0-69.9 dB	
2		60.0-64.9 dB	
1		55.0-59.9 dB	

Flood Risk

Rivers & Seas - Flood Risk

LANDWOOD
GROUP

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change

LANDWOOD
GROUP

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



KPF - Key Property Facts


Powered by
aprift
Know any property instantly

Flood Risk

Surface Water - Flood Risk

LANDWOOD
GROUP

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change

LANDWOOD GROUP

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



KPF - Key Property Facts


Powered by
aprift
Know any property instantly

Maps

Green Belt

LANDWOOD
GROUP

This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land

- 1 Birmingham Green Belt - Sandwell
- 2 Birmingham Green Belt - North Warwickshire
- 3 Birmingham Green Belt - Walsall
- 4 Birmingham Green Belt - Solihull
- 5 Birmingham Green Belt - Tamworth
- 6 Birmingham Green Belt - Birmingham
- 7 Birmingham Green Belt - Bromsgrove
- 8 Birmingham Green Belt - Lichfield
- 9 Birmingham Green Belt - Dudley
- 10 Birmingham Green Belt - Wolverhampton

Maps

Landfill Sites

LANDWOOD
GROUP

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites


	Batchelors Farm Recreation Ground-Bordesley Green East, Stechford, Birmingham, West Midlands	Historic Landfill
	Rockland Drive Landfill Site-Rockland Drive, Stechford, Birmingham, West Midlands	Historic Landfill
	Stechford Hall Park Landfill Site-Coleshill Road, Hodge Hill, Birmingham, West Midlands	Historic Landfill
	Newbridge Farm Recreation Ground-Newbridge Road, Bordesley Green, Birmingham, West Midlands	Historic Landfill
	Newbridge Road-Birmingham, West Midlands	Historic Landfill
	Cole Hall Lane Landfill Site-Former Yardley Sewage Works, Cole Hall Lane, Shard End, Birmingham, West Midlands	Historic Landfill
	Newbridge Road / Hob Moor Road-Hobmoor, Hay Mills, Birmingham, West Midlands	Historic Landfill
	Bromford Lane Landfill Site-Former Brickworks, Bromford Lane, Ward End, Birmingham, West Midlands	Historic Landfill
	Land South Of Brook Meadow Road-Brook Meadow Road, Shard End, Birmingham, West Midlands	Historic Landfill
	Heathlands Primary School Landfill Site-Heath Way, Hodgehill, Birmingham, West Midlands	Historic Landfill











Maps

Listed Buildings

LANDWOOD
GROUP

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1430236 - Stechford War Memorial	Grade II	0.2 miles
 1075711 - Blakesley Hall	Grade II	0.6 miles
 1075663 - 445 And 447, Church Road B26	Grade II	0.6 miles
 1220957 - Barn On North East Side Of Yard To Number 451	Grade II	0.6 miles
 1343387 - Barn At West End Of Yard To Number 451	Grade II	0.6 miles
 1075664 - Barn To South Side Of Yard By Entrance To Number 451	Grade II	0.6 miles
 1075665 - 453, Church Road B26	Grade II	0.6 miles
 1343386 - Penny Cottage	Grade II	0.6 miles
 1343371 - Barn To East Of Blakesley Hall	Grade II	0.6 miles
 1290733 - 451, Church Road B26	Grade II	0.6 miles

Area Schools

LANDWOOD
GROUP











		Nursery	Primary	Secondary	College	Private
1	Corpus Christi Catholic Primary School Ofsted Rating: Good Pupils: 418 Distance:0.16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Stechford Primary School Ofsted Rating: Good Pupils: 437 Distance:0.24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Riverside Education Ofsted Rating: Outstanding Pupils: 101 Distance:0.28	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Blackwater Academy Ofsted Rating: Good Pupils: 28 Distance:0.3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Bordesley Green East Nursery School Ofsted Rating: Good Pupils: 73 Distance:0.33	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	St Cuthbert's RC Junior and Infant (NC) School Ofsted Rating: Good Pupils: 242 Distance:0.43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Blakesley Hall Primary School Ofsted Rating: Good Pupils: 538 Distance:0.55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	The Oval School Ofsted Rating: Good Pupils: 657 Distance:0.69	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Area Schools

LANDWOOD
GROUP




		Nursery	Primary	Secondary	College	Private
	Washwood Heath Academy Ofsted Rating: Good Pupils: 1719 Distance:0.69	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Beaufort School Ofsted Rating: Special Measures Pupils: 95 Distance:0.72	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Colebourne Primary School Ofsted Rating: Good Pupils: 459 Distance:0.72	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Audley Primary School Ofsted Rating: Good Pupils: 835 Distance:0.77	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Alston Primary School Ofsted Rating: Good Pupils: 641 Distance:0.82	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Saltley Academy Ofsted Rating: Good Pupils: 1344 Distance:0.9	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Thornton Primary School Ofsted Rating: Good Pupils: 480 Distance:0.96	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Waverley School Ofsted Rating: Good Pupils: 1810 Distance:1.01	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Local Area

Masts & Pylons

LANDWOOD
GROUP





Key:

-  Power Pylons
-  Communication Masts


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Local Area Road Noise

LANDWOOD
GROUP



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.


Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Area


Transport (National)

LANDWOOD
GROUP



National Rail Stations

Pin	Name	Distance
1	Stechford Rail Station	0.15 miles
2	Lea Hall Rail Station	1.05 miles
3	Adderley Park Rail Station	1.91 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M6 J5	1.98 miles
2	M6 J6	3.02 miles
3	M6 J4A	3.27 miles
4	M42 J8	4.01 miles
5	M6 TOLL T1	5.08 miles



Airports/Helipads

Pin	Name	Distance
1	Birmingham Airport	3.92 miles
2	Baginton	16.24 miles
3	East Mids Airport	31.19 miles
4	Staverton	43.37 miles

Area


Transport (Local)

LANDWOOD
GROUP



Bus Stops/Stations

Pin	Name	Distance
1	Stechford Baths	0.08 miles
2	Stechford Rail Station	0.11 miles
3	Stechford Five Ways	0.27 miles
4	Five Ways	0.27 miles
5	Yardley Fields Rd	0.28 miles



Local Connections

Pin	Name	Distance
1	Bull Street (Midland Metro Stop)	3.61 miles
2	Corporation Street (Midland Metro Stop)	3.65 miles
3	Grand Central New Street (Midland Metro Stop)	3.74 miles

Landwood Group

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Landwood Group

77 Deansgate Manchester M3 2BW
0161 710 2010
louise.bugeja@landwoodgroup.com
<https://landwoodgroup.com/>

