

MISREPRESENTATION DISCLAIMER
All reasonable steps have been taken with the preparation of these particulars but complete accuracy cannot be guaranteed. If there is any point which is of particular importance to you, please obtain professional confirmation. Alternatively, where possible we will be pleased to check the information for you. These particulars do not constitute a contract or part of a contract. All measurements quoted are approximate. The fixtures, fittings and appliances have not been tested and therefore no guarantee can be given that they are in working order. Any drawings, sketches or plans are provided for illustrative purposes only and are not to scale. All photographs are reproduced for general information and it cannot be inferred that any items shown are included in the sale.

Energy Efficiency Rating	
Current	Future
94	
85	
A	
103 kWh/m ² (standard) - low energy code	
B	
91 kWh/m ² (standard) - low energy code	
C	
88 kWh/m ² (standard) - low energy code	
D	
85 kWh/m ² (standard) - low energy code	
E	
82 kWh/m ² (standard) - low energy code	
F	
79 kWh/m ² (standard) - low energy code	
G	
76 kWh/m ² (standard) - low energy code	
H	
73 kWh/m ² (standard) - low energy code	
I	
70 kWh/m ² (standard) - low energy code	
J	
67 kWh/m ² (standard) - low energy code	
K	
64 kWh/m ² (standard) - low energy code	
L	
61 kWh/m ² (standard) - low energy code	
M	
58 kWh/m ² (standard) - low energy code	
N	
55 kWh/m ² (standard) - low energy code	
O	
52 kWh/m ² (standard) - low energy code	
P	
49 kWh/m ² (standard) - low energy code	
Q	
46 kWh/m ² (standard) - low energy code	
R	
43 kWh/m ² (standard) - low energy code	
S	
40 kWh/m ² (standard) - low energy code	
T	
37 kWh/m ² (standard) - low energy code	
U	
34 kWh/m ² (standard) - low energy code	
V	
31 kWh/m ² (standard) - low energy code	
W	
28 kWh/m ² (standard) - low energy code	
X	
25 kWh/m ² (standard) - low energy code	
Y	
22 kWh/m ² (standard) - low energy code	
Z	
19 kWh/m ² (standard) - low energy code	
AA	
16 kWh/m ² (standard) - low energy code	
AB	
13 kWh/m ² (standard) - low energy code	
AC	
10 kWh/m ² (standard) - low energy code	
AD	
7 kWh/m ² (standard) - low energy code	
AE	
4 kWh/m ² (standard) - low energy code	
AF	
1 kWh/m ² (standard) - low energy code	
AG	
0 kWh/m ² (standard) - low energy code	
AH	
-1 kWh/m ² (standard) - low energy code	
AI	
-2 kWh/m ² (standard) - low energy code	
AJ	
-3 kWh/m ² (standard) - low energy code	
AK	
-4 kWh/m ² (standard) - low energy code	
AL	
-5 kWh/m ² (standard) - low energy code	
AM	
-6 kWh/m ² (standard) - low energy code	
AN	
-7 kWh/m ² (standard) - low energy code	
AO	
-8 kWh/m ² (standard) - low energy code	
AP	
-9 kWh/m ² (standard) - low energy code	
AQ	
-10 kWh/m ² (standard) - low energy code	
AR	
-11 kWh/m ² (standard) - low energy code	
AS	
-12 kWh/m ² (standard) - low energy code	
AT	
-13 kWh/m ² (standard) - low energy code	
AU	
-14 kWh/m ² (standard) - low energy code	
AV	
-15 kWh/m ² (standard) - low energy code	
AW	
-16 kWh/m ² (standard) - low energy code	
AX	
-17 kWh/m ² (standard) - low energy code	
AY	
-18 kWh/m ² (standard) - low energy code	
AZ	
-19 kWh/m ² (standard) - low energy code	
BA	
-20 kWh/m ² (standard) - low energy code	
BB	
-21 kWh/m ² (standard) - low energy code	
BC	
-22 kWh/m ² (standard) - low energy code	
BD	
-23 kWh/m ² (standard) - low energy code	
BE	
-24 kWh/m ² (standard) - low energy code	
BF	
-25 kWh/m ² (standard) - low energy code	
BG	
-26 kWh/m ² (standard) - low energy code	
BH	
-27 kWh/m ² (standard) - low energy code	
BI	
-28 kWh/m ² (standard) - low energy code	
BJ	
-29 kWh/m ² (standard) - low energy code	
BK	
-30 kWh/m ² (standard) - low energy code	
BL	
-31 kWh/m ² (standard) - low energy code	
BM	
-32 kWh/m ² (standard) - low energy code	
BN	
-33 kWh/m ² (standard) - low energy code	
BO	
-34 kWh/m ² (standard) - low energy code	
BP	
-35 kWh/m ² (standard) - low energy code	
BQ	
-36 kWh/m ² (standard) - low energy code	
BR	
-37 kWh/m ² (standard) - low energy code	
BS	
-38 kWh/m ² (standard) - low energy code	
BT	
-39 kWh/m ² (standard) - low energy code	
BU	
-40 kWh/m ² (standard) - low energy code	
BV	
-41 kWh/m ² (standard) - low energy code	
BW	
-42 kWh/m ² (standard) - low energy code	
BX	
-43 kWh/m ² (standard) - low energy code	
BY	
-44 kWh/m ² (standard) - low energy code	
BZ	
-45 kWh/m ² (standard) - low energy code	
CA	
-46 kWh/m ² (standard) - low energy code	
CB	
-47 kWh/m ² (standard) - low energy code	
CC	
-48 kWh/m ² (standard) - low energy code	
CD	
-49 kWh/m ² (standard) - low energy code	
CE	
-50 kWh/m ² (standard) - low energy code	
CF	
-51 kWh/m ² (standard) - low energy code	
CG	
-52 kWh/m ² (standard) - low energy code	
CH	
-53 kWh/m ² (standard) - low energy code	
CI	
-54 kWh/m ² (standard) - low energy code	
CJ	
-55 kWh/m ² (standard) - low energy code	
CK	
-56 kWh/m ² (standard) - low energy code	
CL	
-57 kWh/m ² (standard) - low energy code	
CM	
-58 kWh/m ² (standard) - low energy code	
CN	
-59 kWh/m ² (standard) - low energy code	
CO	
-60 kWh/m ² (standard) - low energy code	
CP	
-61 kWh/m ² (standard) - low energy code	
CQ	
-62 kWh/m ² (standard) - low energy code	
CR	
-63 kWh/m ² (standard) - low energy code	
CS	
-64 kWh/m ² (standard) - low energy code	
CT	
-65 kWh/m ² (standard) - low energy code	
CU	
-66 kWh/m ² (standard) - low energy code	
CV	
-67 kWh/m ² (standard) - low energy code	
CW	
-68 kWh/m ² (standard) - low energy code	
CX	
-69 kWh/m ² (standard) - low energy code	
CY	
-70 kWh/m ² (standard) - low energy code	
CZ	
-71 kWh/m ² (standard) - low energy code	
DA	
-72 kWh/m ² (standard) - low energy code	
DB	
-73 kWh/m ² (standard) - low energy code	
DC	
-74 kWh/m ² (standard) - low energy code	
DD	
-75 kWh/m ² (standard) - low energy code	
DE	
-76 kWh/m ² (standard) - low energy code	
DF	
-77 kWh/m ² (standard) - low energy code	
DG	
-78 kWh/m ² (standard) - low energy code	
DH	
-79 kWh/m ² (standard) - low energy code	
DI	
-80 kWh/m ² (standard) - low energy code	
DJ	
-81 kWh/m ² (standard) - low energy code	
DK	
-82 kWh/m ² (standard) - low energy code	
DL	
-83 kWh/m ² (standard) - low energy code	
DM	
-84 kWh/m ² (standard) - low energy code	
DN	
-85 kWh/m ² (standard) - low energy code	
DO	
-86 kWh/m ² (standard) - low energy code	
DP	
-87 kWh/m ² (standard) - low energy code	
DQ	
-88 kWh/m ² (standard) - low energy code	
DR	
-89 kWh/m ² (standard) - low energy code	
DS	
-90 kWh/m ² (standard) - low energy code	
DT	
-91 kWh/m ² (standard) - low energy code	
DU	
-92 kWh/m ² (standard) - low energy code	
DV	
-93 kWh/m ² (standard) - low energy code	
DW	
-94 kWh/m ² (standard) - low energy code	
DX	
-95 kWh/m ² (standard) - low energy code	
DY	
-96 kWh/m ² (standard) - low energy code	
DZ	
-97 kWh/m ² (standard) - low energy code	
EA	
-98 kWh/m ² (standard) - low energy code	
EB	
-99 kWh/m ² (standard) - low energy code	
EC	
-100 kWh/m ² (standard) - low energy code	
ED	
-101 kWh/m ² (standard) - low energy code	
EE	
-102 kWh/m ² (standard) - low energy code	
EF	
-103 kWh/m ² (standard) - low energy code	
EG	
-104 kWh/m ² (standard) - low energy code	
EH	
-105 kWh/m ² (standard) - low energy code	
EI	
-106 kWh/m ² (standard) - low energy code	
EJ	
-107 kWh/m ² (standard) - low energy code	
EK	
-108 kWh/m ² (standard) - low energy code	
EL	
-109 kWh/m ² (standard) - low energy code	
EM	
-110 kWh/m ² (standard) - low energy code	
EN	
-111 kWh/m ² (standard) - low energy code	
EO	
-112 kWh/m ² (standard) - low energy code	
EP	
-113 kWh/m ² (standard) - low energy code	
EQ	
-114 kWh/m ² (standard) - low energy code	
ER	
-115 kWh/m ² (standard) - low energy code	
ES	
-116 kWh/m ² (standard) - low energy code	
ET	
-117 kWh/m ² (standard) - low energy code	
EU	
-118 kWh/m ² (standard) - low energy code	
EV	
-119 kWh/m ² (standard) - low energy code	
EW	
-120 kWh/m ² (standard) - low energy code	
EX	
-121 kWh/m ² (standard) - low energy code	
EY	
-122 kWh/m ² (standard) - low energy code	
EZ	
-123 kWh/m ² (standard) - low energy code	
FA	
-124 kWh/m ² (standard) - low energy code	
FB	
-125 kWh/m ² (standard) - low energy code	
FC	
-126 kWh/m ² (standard) - low energy code	
FD	
-127 kWh/m ² (standard) - low energy code	
FE	
-128 kWh/m ² (standard) - low energy code	
FF	
-129 kWh/m ² (standard) - low energy code	
FG	
-130 kWh/m ² (standard) - low energy code	
FH	
-131 kWh/m ² (standard) - low energy code	
FI	
-132 kWh/m ² (standard) - low energy code	
FJ	
-133 kWh/m ² (standard) - low energy code	
FK	
-134 kWh/m ² (standard) - low energy code	
FL	
-135 kWh/m ² (standard) - low energy code	
FM	
-136 kWh/m ² (standard) - low energy code	
FN	
-137 kWh/m ² (standard) - low energy code	
FO	
-138 kWh/m ² (standard) - low energy code	
FP	
-139 kWh/m ² (standard) - low energy code	
FQ	
-140 kWh/m ² (standard) - low energy code	
FR	
-141 kWh/m ² (standard) - low energy code	
FS	
-142 kWh/m ² (standard) - low energy code	
FT	
-143 kWh/m ² (standard) - low energy code	
FU	
-144 kWh/m ² (standard) - low energy code	
FV	
-145 kWh/m ² (standard) - low energy code	
FW	
-146 kWh/m ² (standard) - low energy code	
FX	
-147 kWh/m ² (standard) - low energy code	
FY	
-148 kWh/m ² (standard) - low energy code	
FZ	
-149 kWh/m ² (standard) - low energy code	
GA	
-150 kWh/m ² (standard) - low energy code	
GB	
-151 kWh/m ² (standard) - low energy code	
GC	
-152 kWh/m ² (standard) - low energy code	
GD	
-153 kWh/m ² (standard) - low energy code	
GE	
-154 kWh/m ² (standard) - low energy code	
GF	
-155 kWh/m ² (standard) - low energy code	
GG	
-156 kWh/m ² (standard) - low energy code	
GH	
-157 kWh/m ² (standard) - low energy code	
GI	
-158 kWh/m ² (standard) - low energy code	
GJ	
-159 kWh/m ² (standard) - low energy code	
GK	
-160 kWh/m ² (standard) - low energy code	
GL	
-161 kWh/m ² (standard) - low energy code	
GM	
-162 kWh/m ² (standard) - low energy code	
GN	
-163 kWh/m ² (standard) - low energy code	
GO	
-164 kWh/m ² (standard) - low energy code	
GP	
-165 kWh/m ² (standard) - low energy code	
GQ	
-166 kWh/m ² (standard) - low energy code	
GR	
-167 kWh/m ² (standard) - low energy code	
GS	
-168 kWh/m ² (standard) - low energy code	
GT	
-169 kWh/m ² (standard) - low energy code	
GU	
-170 kWh/m ² (standard) - low energy code	
GV	
-171 kWh/m ² (standard) - low energy code	
GW	
-172 kWh/m ² (standard) - low energy code	
GX	
-173 kWh/m ² (standard) - low energy code	
GY	
-174 kWh/m ² (standard) - low energy code	
GZ	
-175 kWh/m ² (standard) - low energy code	
HA	
-176 kWh/m ² (standard) - low energy code	
HB	
-177 kWh/m ² (standard) - low energy code	
HC	
-178 kWh/m ² (standard) - low energy code	
HD	
-179 kWh/m ² (standard) - low energy code	
HE	
-180 kWh/m ² (standard) - low energy code	
HF	
-181 kWh/m ² (standard) - low energy code	
HG	
-182 kWh/m ² (standard) - low energy code	
HH	
-183 kWh/m ² (standard) - low energy code	
HI	
-184 kWh/m ² (standard) - low energy code	
HJ	
-185 kWh/m ² (standard) - low energy code	
HK	
-186 kWh/m ² (standard) - low energy code	
HL	
-187 kWh/m ² (standard) - low energy code	
HM	
-188 kWh/m ² (standard) - low energy code	
HN	
-189 kWh/m ² (standard) - low energy code	
HO	
-190 kWh/m ² (standard) - low energy code	
HP	
-191 kWh/m ² (standard) - low energy code	
HQ	
-192 kWh/m ² (standard) - low energy code	
HR	
-193 kWh/m ² (standard) - low energy code	
HS	
-194 kWh/m ² (standard) - low energy code	
HT	
-195 kWh/m ² (standard) - low energy code	
HU	
-196 kWh/m ² (standard) - low energy code	
HV	
-197 kWh/m ² (standard) - low energy code	
HW	
-198 kWh/m ² (standard) - low energy code	
HX	
-199 kWh/m ² (standard) - low energy code	
HY	
-200 kWh/m ² (standard) - low energy code	
HZ	
-201 kWh/m ² (standard) - low energy code	
IA	
-202 kWh/m ² (standard) - low energy code	
IB	
-203 kWh/m ² (standard) - low energy code	
IC	
-204 kWh/m ² (standard) - low energy code	
ID	
-205 kWh/m ² (standard) - low energy code	
IE	
-206 kWh/m ² (standard) - low energy code	
IF	
-207 kWh/m ² (standard) - low energy code	
IG	
-208 kWh/m ² (standard) - low energy code	
IH	
-209 kWh/m ² (standard) - low energy code	
II	
-210 kWh/m ² (standard) - low energy code	
IJ	
-211 kWh/m ² (standard) - low energy code	
IK	
-212 kWh/m ² (standard) - low energy code	
IL	
-213 kWh/m ² (standard) - low energy code	
IM	
-214 kWh/m ² (standard) - low energy code	
IN	
-215 kWh/m ² (standard) - low energy code	
IO	
-216 kWh/m ² (standard) - low energy code	
IP	
-217 kWh/m ² (standard) - low energy code	
IQ	
-218 kWh/m ² (standard) - low energy code	
IR	
-219 kWh/m ² (standard) - low energy code	
IS	
-220 kWh/m ² (standard) - low energy code	
IT	
-221 kWh/m ² (standard) - low energy code	
IU	
-222 kWh/m ² (standard) - low energy code	
IV	
-223 kWh/m ² (standard) - low energy code	
IW	
-224 kWh/m ² (standard) - low energy code	
IX	
-225 kWh/m ² (standard) - low energy code	
IY	
-226 kWh/m ² (standard) - low energy code	
IZ	
-227 kWh/m ² (standard) - low energy code	
JA	
-228 kWh/m ² (standard) - low energy code	
JB	
-229 kWh/m ² (standard) - low energy code	
JC	
-230 kWh/m ² (standard) - low energy code	
JD	
-231 kWh/m ² (standard) - low energy code	
JE	
-232 kWh/m ² (standard) - low energy code	
JF	
-233 kWh/m ² (standard) - low energy code	
JG	
-234 kWh/m ² (standard) - low energy code	
JH	
-235 kWh/m ² (standard) - low energy code	
JI	
-236 kWh/m ² (standard) - low energy code	
JJ	
-237 kWh/m ² (standard) - low energy code	
JK	
-238 kWh/m ² (standard) - low energy code	
JL	
-239 kWh/m ² (standard) - low energy code	
JM	
-240 kWh/m ² (standard) - low energy code	
JN	
-241 kWh/m ² (standard) - low energy code	
JO	
-242 kWh/m ² (standard) - low energy code	
JP	
-243 kWh/m ² (standard) - low energy code	
JQ	
-244 kWh/m ² (standard) - low energy code	
JR	

Guide Price £395,000

An EXCEPTIONALLY WELL PRESENTED FOUR DOUBLE BEDROOM DETACHED FAMILY HOME having OPEN PLAN KITCHEN / FAMILY / DINING ROOM, STUDY, MASTER EN-SUITE, GARAGE and OFF ROAD PARKING, PLEASANT ENCLOSED GARDENS, situated in a SOUGHT AFTER LOCATION.

Newent itself offers a range of shops, supermarkets, a primary and secondary school, churches of various denominations, health, sports and community centres and library. Sporting and leisure facilities within the area include a choice of golf clubs, various forms of shooting and fishing, a dry ski slope, and active sporting teams such as football, rugby and cricket.

The bustling cathedral city of Gloucester is approximately 10 miles distance and the Cheltenham Spa town (the home of the Cheltenham Festival and Gold Cup) approximately 17 miles distance for more comprehensive facilities. The historic market towns of Ross-on-Wye, Ledbury and Monmouth are all within easy driving distance and the idyllic and picturesque villages within The Cotswolds are also a must to explore!

With a choice of many countryside walks including the renowned May Hill and The Malvern Hills, and the Forest of Dean with its sprawling woodlands and outdoor activities, the River Wye with all its water activities, all too within easy driving distance, the property is ideally situated and caters for all.

There are a wide choice of schools available with local primary and secondary schools in Newent and independent schools in Malvern, Monmouth, Cheltenham and Gloucester.

Access can be gained to the M50 motorway (junction 3) approximately 3.5 miles away. The M50 connects you to the M5 motorway linking Midlands, North and South. The M50 takes you to Wales, Monmouth and Cardiff. Train Stations with access to all major cities including London can be found at Ledbury and Gloucester.



Entrance via composite front door leading to:

HALLWAY
5'3" x 3'3" (1.60m x 0.99m)
Stairs leading off, single radiator, thermostat control, door to downstairs WC, door to cupboard housing Open Reach point and fuse board.

CLOAKROOM
Toilet, sink with mixer tap, single radiator, extractor fan.

LOUNGE
16'5" x 12' (5.00m x 3.66m)
Two double radiators, front aspect bay window.

STUDY
9' x 7'5" (2.74m x 2.26m)
Double radiator, front aspect window.

KITCHEN / DINING / FAMILY ROOM
20'5" x 12'6" (6.22m x 3.81m)
Kitchen comprises a range of base and wall units, laminated work tops and splashbacks, single drainer stainless steel sink unit with mixer tap, integrated appliances to include Electrolux double oven, five ring gas hob with splash back and cooker hood, dishwasher, fridge / freezer, door to upstairs storage cupboard, three double radiators, inset spotlighting, engineered wooden flooring throughout, seating area, large dining area into rear aspect rectangular bay with side and rear aspect windows, double opening French doors to the garden, two rear aspect windows. Door from the kitchen into:

UTILITY ROOM
7'5" x 5'6" (2.26m x 1.68m)
Base and wall mounted units, laminated worktops, splashbacks, engineered wooden flooring, plumbing for washing machine, space for tumble dryer, cupboard housing the Ideal Logic gas-fired combi boiler, single radiator, half glazed double glazed composite door to the driveway.

FROM THE ENTRANCE HALL, STAIRS LEAD TO THE FIRST FLOOR.

LANDING
Access to partly boarded roof space, single radiator, door to airing cupboard with slatted shelving and storage space.

MASTER SUITE
12'5" x 12'6" (3.78m x 3.81m)
With additional built-in 'his' and 'hers' triple wardrobes including built-in drawer units, radiator, thermostat control, front and side aspect windows. Door to:

EN-SUITE SHOWER ROOM
7'1" x 6'0" (2.16m x 1.83m)
Double shower cubicle accessed by glazed screen, inset detachable shower, WC, wash hand basin with cupboard below, tiled floor and walls, heated towel rail, shaver point, extractor fan, front aspect frosted window.

BEDROOM TWO
12'9" x 12'4" (3.89m x 3.76m)
Into wardrobe recess, double radiator, front aspect window.

BEDROOM THREE
11'0" x 10'7" (3.35m x 3.23m)
Single radiator, rear aspect window with pleasant far reaching views.

BEDROOM FOUR
12'0" x 10'2" (3.66m x 3.10m)
With single radiator, rear aspect window.

FAMILY BATHROOM
7'0" x 5'6" (2.13m x 1.68m)
With panelled bath, mixer tap, inset detachable shower over, WC, wash hand basin with mixer tap, tiled flooring and splash backs, double radiator, extractor fan, rear aspect frosted window.

OUTSIDE
To the front of the property, a patio leads to the front door with shrub borders. A driveway to the side provides off road parking for up to three cars with Zappy My Energy EV charging point (negotiable via separate negotiation but can be removed if not required).

SINGLE GARAGE
21'1" x 10'9" (6.43m x 3.28m)
Accessed to the front via up and over door, with power and lighting.

A side access pedestrian gate leads to the rear garden which has a small patio area, largely laid to lawn with pleasant planted borders, fruit trees, Silver Birch and Maple

trees, further flowers and shrubs, storage area behind the garage, concrete slabbed area with wooden shed, outside power points and water tap, all enclosed by walling and fencing.

SERVICES
Mains water, drainage, electricity and gas.

MOBILE PHONE COVERAGE / BROADBAND AVAILABILITY
It is down to each individual purchaser to make their own enquiries. However, we have provided a useful link via Rightmove and Zoopla to assist you with the latest information. In Rightmove, this information can be found under the brochures section, see "Property and Area Information" link. In Zoopla, this information can be found via the Additional Links section, see "Property and Area Information" link.

WATER RATES
Severn Trent - to be confirmed.

LOCAL AUTHORITY
Council Tax Band: E
Forest of Dean District Council, Council Offices, High Street, Coleford, Glos. GL16 8HG.

TENURE
Freehold.

VIEWING
Strictly through the Owners Selling Agent, Steve Gooch, who will be delighted to escort interested applicants to view if required. Office Opening Hours 8.30am - 7.00pm Monday to Friday, 9.00am - 5.30pm Saturday.

DIRECTIONS
From our Newent office, proceed along the High Street into Broad Street and into Gloucester Street, taking the first right into Onslow Road. Proceed along taking the second left into Meek Road and then right onto Manor Road. Continue straight on into the new development, bearing left, where the property can be located on the left hand side as marked by our 'For Sale' board.

PROPERTY SURVEYS
Qualified Chartered Surveyors (with over 20 years experience) available to undertake surveys (to include Mortgage Surveys/RICS Housebuyers Reports/Full Structural Surveys).

AWAITING VENDOR APPROVAL
These details are yet to be approved by the vendor. Please contact the office for verified details.