



# MIR: Material Info

The Material Information Affecting this Property

**Monday 14th September 2026**



**57, VALLIS ROAD, FROME, BA11**

## Cooper and Tanner

6 The Bridge Frome BA11 1AR

01373 455060

frome@cooperandtanner.co.uk


cooperandtanner.co.uk




# Property Multiple Title Plans

COOPER  
AND  
TANNER

## Freehold Title Plan



**WS9374**



## Property

|                  |                                         |
|------------------|-----------------------------------------|
| Type:            | Flat / Maisonette                       |
| Bedrooms:        | 1                                       |
| Floor Area:      | 409 ft <sup>2</sup> / 38 m <sup>2</sup> |
| Plot Area:       | 0.88 acres                              |
| Council Tax :    | Band A                                  |
| Annual Estimate: | £1,707                                  |
| Title Number:    | ST398416                                |

## Local Area

|                    |          |
|--------------------|----------|
| Local Authority:   | Somerset |
| Conservation Area: | No       |
| Flood Risk:        |          |
| • Rivers & Seas    | Very low |
| • Surface Water    | Very low |

### Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

|                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>13</b><br>mb/s                                                                   | <b>80</b><br>mb/s                                                                     | <b>1800</b><br>mb/s                                                                   |
|  |  |  |

### Mobile Coverage: (based on calls indoors)




### Satellite/Fibre TV Availability:



Property  
**EPC - Certificate**

COOPER  
AND  
TANNER



# Property

## EPC - Additional Data

COOPER  
AND  
TANNER

### Additional EPC Data


|                                     |                                              |
|-------------------------------------|----------------------------------------------|
| <b>Property Type:</b>               | Flat                                         |
| <b>Build Form:</b>                  | End-Terrace                                  |
| <b>Transaction Type:</b>            | New dwelling                                 |
| <b>Energy Tariff:</b>               | Off-peak 7 hour                              |
| <b>Main Fuel:</b>                   | Electricity: electricity, unspecified tariff |
| <b>Floor Level:</b>                 | 3                                            |
| <b>Flat Top Storey:</b>             | No                                           |
| <b>Top Storey:</b>                  | 0                                            |
| <b>Previous Extension:</b>          | 0                                            |
| <b>Open Fireplace:</b>              | 0                                            |
| <b>Walls:</b>                       | Average thermal transmittance 0.26 W/m-Â°K   |
| <b>Walls Energy:</b>                | Very Good                                    |
| <b>Roof:</b>                        | Average thermal transmittance 0.11 W/m-Â°K   |
| <b>Roof Energy:</b>                 | Very Good                                    |
| <b>Main Heating:</b>                | Room heaters, electric                       |
| <b>Main Heating Controls:</b>       | Programmer and room thermostat               |
| <b>Hot Water System:</b>            | Electric immersion, off-peak                 |
| <b>Hot Water Energy Efficiency:</b> | Average                                      |
| <b>Lighting:</b>                    | Low energy lighting in all fixed outlets     |
| <b>Floors:</b>                      | (other premises below)                       |
| <b>Total Floor Area:</b>            | 38 m <sup>2</sup>                            |

# Flood Risk

## Surface Water - Flood Risk

COOPER  
AND  
TANNER

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Rivers & Seas - Flood Risk

COOPER  
AND  
TANNER

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




**Risk Rating:** Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



# Flood Risk

## Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Maps

## Conservation Areas

COOPER  
AND  
TANNER

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



### Nearby Conservation Areas



Frome



Lullington and Orchardleigh



Buckland Dinham



Nunney



Mells



Beckington



Kilmersdon



Warminster




Westbury

# Maps

## Landfill Sites

COOPER  
AND  
TANNER


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



### Nearby Landfill Sites

|    |                                                                                              |                   |  |
|----|----------------------------------------------------------------------------------------------|-------------------|--|
| 1  | Vallis Road-Frome                                                                            | Historic Landfill |  |
| 2  | Bennetts of Frome Limited-Frome, Somerset                                                    | Historic Landfill |  |
| 3  | Butler and Tanner Limited-Frome, Somerset                                                    | Historic Landfill |  |
| 4  | Mells River Bank-Frome                                                                       | Historic Landfill |  |
| 5  | Iron Mills Lane-Oldford, Frome                                                               | Historic Landfill |  |
| 6  | Styles Hill Site B-Styles Hill, Frome                                                        | Historic Landfill |  |
| 7  | Coombe Farm-Whatley, Frome, Somerset                                                         | Historic Landfill |  |
| 8  | Styles Hill Site G-Styles Hill and Rodden Lake Stream, Frome                                 | Historic Landfill |  |
| 9  | Styles Hill Site C-Between Roden Lake Street and Clink Road, Frome                           | Historic Landfill |  |
| 10 | Styles Hill Site E-Land Adjacent to Tytherington Lane East, Tytherington, Styles Hill, Frome | Historic Landfill |  |

This map displays nearby coal mine entrances and their classifications.




## Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





### Nearby Council Wards

- 1 Frome Oakfield Ward
- 2 Frome Market Ward
- 3 Frome Park Ward
- 4 Frome College Ward
- 5 Frome Keyford Ward
- 6 Frome Berkley Down Ward
- 7 Beckington and Selwood Ward
- 8 Ammerdown Ward
- 9 Rode and Norton St. Philip Ward
- 10 Warminster North & Rural ED


### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m<sup>3</sup>).



Ground Composition for this Address (Surrounding square kilometer zone around property)

|                        |                 |               |              |
|------------------------|-----------------|---------------|--------------|
| Carbon Content:        | NONE            | Soil Texture: | CLAY TO LOAM |
| Parent Material Grain: | ARGILLACEOUS    | Soil Depth:   | DEEP         |
| Soil Group:            | HEAVY TO MEDIUM |               |              |




### Primary Classifications (Most Common Clay Types)

|        |                                              |
|--------|----------------------------------------------|
| C/M    | Claystone / Mudstone                         |
| FPC,S  | Floodplain Clay, Sand / Gravel               |
| FC,S   | Fluvial Clays & Silts                        |
| FC,S,G | Fluvial Clays, Silts, Sands & Gravel         |
| PM/EC  | Prequaternary Marine / Estuarine Clay / Silt |
| QM/EC  | Quaternary Marine / Estuarine Clay / Silt    |
| RC     | Residual Clay                                |
| RC/LL  | Residual Clay & Loamy Loess                  |
| RC,S   | River Clay & Silt                            |
| RC,FS  | Riverine Clay & Floodplain Sands and Gravel  |
| RC,FL  | Riverine Clay & Fluvial Sands and Gravel     |
| TC     | Terrace Clay                                 |
| TC/LL  | Terrace Clay & Loamy Loess                   |

# Local Area

## Masts & Pylons

COOPER  
AND  
TANNER



### Key:


-  Power Pylons
-  Communication Masts

# Maps

## Listed Buildings

COOPER  
AND  
TANNER

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed Buildings in the local district                                                                                                                                      | Grade    | Distance  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
|  1057729 - No 14 And Coach-house                                                         | Grade II | 0.0 miles |
|  1409512 - Dissenters' Cemetery Chapel, Superintendent's Cottage, Gatepiers And Railings | Grade II | 0.0 miles |
|  1345553 - 59 And 61, Vallis Road                                                        | Grade II | 0.0 miles |
|  1057862 - 5, Button Street                                                              | Grade II | 0.1 miles |
|  1057769 - Rowden House                                                                  | Grade II | 0.1 miles |
|  1345467 - 3 And 4, Button Street                                                        | Grade II | 0.1 miles |
|  1345468 - 9, Button Street                                                              | Grade II | 0.1 miles |
|  1057863 - 7 And 8, Button Street                                                        | Grade II | 0.1 miles |
|  1057861 - 2, Button Street                                                              | Grade II | 0.1 miles |
|  1167804 - 6, Button Street                                                              | Grade II | 0.1 miles |

## Building Safety

---

At the time of marketing we have not been made aware of any building safety issues.

## Accessibility / Adaptations

---

The property is on the second floor, accessed via 4 sets of stairs, not currently suitable for wheelchair access.

## Restrictive Covenants

---

At the time of marketing we have not been made aware of any restrictive covenants.

## Rights of Way (Public & Private)

---

At the time of marketing we have not been made aware of any rights of way

## Construction Type

---

To our knowledge the build is standard construction

## Electricity Supply

---

Mains

## Gas Supply

---

N/A

## Central Heating

---

Electric heating

## Water Supply


---

Mains


## Drainage

---

Mains



|          |                                                                                                                                             | Nursery                  | Primary                             | Secondary                           | College                  | Private                  |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| <b>1</b> | <b>Wessex Lodge School</b><br>Ofsted Rating: Good   Pupils: 50   Distance:0.31                                                              | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>2</b> | <b>Oakfield Academy</b><br>Ofsted Rating: Requires improvement   Pupils: 557   Distance:0.34                                                | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>3</b> | <b>Vallis First School</b><br>Ofsted Rating: Good   Pupils: 229   Distance:0.38                                                             | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>4</b> | <b>St Louis Catholic Primary School, Frome</b><br>Ofsted Rating: Good   Pupils: 179   Distance:0.4                                          | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>5</b> | <b>Trinity Church of England First School</b><br>Ofsted Rating: Good   Pupils: 295   Distance:0.44                                          | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>6</b> | <b>Critchill Special School</b><br>Ofsted Rating: Good   Pupils: 97   Distance:0.44                                                         | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>7</b> | <b>Avanti Park School</b><br>Ofsted Rating: Good   Pupils: 488   Distance:0.53                                                              | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>8</b> | <b>St John's Church of England Voluntary Aided First School, Frome</b><br>Ofsted Rating: Requires improvement   Pupils: 232   Distance:0.72 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |




|           |                                                                                                                   | Nursery                  | Primary                             | Secondary                           | College                  | Private                  |
|-----------|-------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| <b>9</b>  | <b>North Hill House</b><br>Ofsted Rating: Requires improvement   Pupils: 60   Distance:0.74                       | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>10</b> | <b>Frome Community College</b><br>Ofsted Rating: Not Rated   Pupils:0   Distance:1.1                              | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>11</b> | <b>Selwood Academy</b><br>Ofsted Rating: Good   Pupils: 598   Distance:1.18                                       | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>12</b> | <b>Christ Church First School</b><br>Ofsted Rating: Not Rated   Pupils: 77   Distance:1.19                        | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>13</b> | <b>Hayesdown First School</b><br>Ofsted Rating: Good   Pupils: 300   Distance:1.36                                | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>14</b> | <b>Springmead Preparatory School</b><br>Ofsted Rating: Not Rated   Pupils: 119   Distance:2.75                    | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>15</b> | <b>Berkley Church of England First School</b><br>Ofsted Rating: Requires improvement   Pupils: 97   Distance:2.75 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>16</b> | <b>Nurney First School</b><br>Ofsted Rating: Good   Pupils: 72   Distance:2.8                                     | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |

# Area


## Transport (National)

COOPER  
AND  
TANNER




### National Rail Stations

| Pin | Name                          | Distance   |
|-----|-------------------------------|------------|
| 1   | Frome Rail Station            | 1.12 miles |
| 2   | Dilton Marsh Rail Station     | 5.51 miles |
| 3   | Westbury (Wilts) Rail Station | 6.22 miles |
| 4   | Warminster Rail Station       | 7.04 miles |
| 5   | Freshford Rail Station        | 7.56 miles |



### Trunk Roads/Motorways

| Pin | Name   | Distance    |
|-----|--------|-------------|
| 1   | M4 J18 | 18.49 miles |





### Airports/Helipads

| Pin | Name                          | Distance   |
|-----|-------------------------------|------------|
| 1   | Bristol International Airport | 19.4 miles |


# Area

## Transport (Local)




### Bus Stops/Stations

| Pin | Name                 | Distance   |
|-----|----------------------|------------|
| 1   | Robins Lane          | 0.01 miles |
| 2   | Upper Whatcombe Road | 0.16 miles |
| 3   | Royal Oak            | 0.19 miles |
| 4   | Portland Road        | 0.2 miles  |
| 5   | Broadway             | 0.24 miles |



### Local Connections

| Pin | Name                         | Distance    |
|-----|------------------------------|-------------|
| 1   | Bitton (Avon Valley Railway) | 14.87 miles |



### Ferry Terminals

| Pin | Name                               | Distance    |
|-----|------------------------------------|-------------|
| 1   | Temple Meads Station Ferry Landing | 18.42 miles |

## Testimonial 1



We predominately dealt with Shelly at the Frome branch through the process of buying and selling our house. Over the last 18 months Shelly has been pretty much the only agent in town who has bothered to keep me up to date with what was coming on the market etc. Not only did we sell through C&T but when it came to purchasing (also through them) they really worked hard to make the deal work for everyone. A very positive experience.

## Testimonial 2



Cooper and Tanner in Frome were highly recommended to us – and we are delighted that we listened! We have found them to be experts in their field with excellent local knowledge and a very clear understanding of the market. Adam and his team have been professional, helpful and supportive throughout the process – far above and beyond the call of duty - and a real pleasure to deal with.

## Testimonial 3



In the last 2 years or so we have bought twice and sold once with Cooper and Tanner in Frome. Adam Scott and his entire team have been really great throughout. All three transaction had complications that needed to be sorted out, especially the last one that took 6 months to complete with many twists and turns. Adam has been so patient and energetic and on the ball, on top of the situation throughout. He builds a great rapport with both buyer and seller.

## Testimonial 4



We had a sale agreed on our property early in 2023 after only being available for a few days. Throughout the selling process Cooper & Tanner in Frome were consistently helpful and supportive. Furthermore, they demonstrated that they had a very clear understanding of the market. They were a pleasure to deal with and in particular, Adam Scott (Branch Manager) & Ross Bowers (Senior Negotiator) were always on hand if we had any problems or worries.



/cooperandtanner



/cooper\_and\_tanner/

**Important - Please read**

---

# Cooper and Tanner

## Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



### Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



#### Cooper and Tanner

6 The Bridge Frome BA11 1AR

01373 455060

frome@cooperandtanner.co.uk

cooperandtanner.co.uk

