



INTERLET

HILL STREET, LONDON, LONDON, W1J
£1,710 PW



Located at Hill Street, London, this 3-bedroom, 2-bathroom apartment offers a comfortable and secure living environment. The property features a kitchen-diner equipped with an oven and hob, providing a practical space for meal preparation. The building includes an elevator, ensuring easy access to the apartment. Internet and wireless internet are available, along with a TV for entertainment needs. Security is a priority, with 24/7 security measures and video door entry systems in place, complemented by CCTV for added peace of mind. The apartments layout includes a spacious living area that seamlessly connects to the dining space, creating an open and airy atmosphere. The bedrooms are well-sized, providing ample space for relaxation and rest. The bathrooms are modern and fitted with essential amenities, including a shower and bathtub. The kitchen is designed with functionality in mind, featuring wooden countertops and ample storage space. The sleek design is complemented by modern appliances, making it a practical area for cooking and dining. Outdoor space is available in the form of a communal garden, offering a pleasant area to unwind. While the property does not include designated parking, its central location provides easy access to public transportation and local amenities. The apartment is situated in a vibrant area of London, with shops and essential servi[...]

lettings@interlet.com
+44(0)20 7795 6525
www.interlet.com



Important Notice

Interlet and their clients give notice that: 1) They are not authorised to make or give any representations or warranties in relation to the property, either here or elsewhere. The particulars do not form part of any offer or contract and must not be relied upon as statements or representations of fact. 2) Any areas, measurements, and distances are approximate. The text, images, and plans are for guidance only and are not necessarily comprehensive. It should not be assumed that the property has all necessary planning, building regulation, or other contents. Interlet has not tested any services, equipment, or facilities. Prospective tenants must satisfy themselves by inspection or otherwise. Please note that the local area may be affected by aircraft noise, you should make your own inquiries regarding any noise in the area before you make an offer.

Score	Energy rating	Current	Potential
92+	A		
81-91	B		83 B
69-80	C	75 C	
55-68	D		
39-54	E		
21-38	F		
1-20	G		

interlet

SALES & LETTINGS

Welcome home.