

BRENNAN

BESPOKE

£160,000
Chesil Walk
Corby, NN18 0DN

PROPERTY SUMMARY

Chesil Walk is a three-bedroom semi-detached home in Corby, offered to the market with no onward chain and presenting a great opportunity for buyers looking to refurbish and add value. The accommodation is arranged with a spacious lounge/dining room providing a versatile main reception space, alongside a separate kitchen, with useful storage and a practical layout that is easy to improve and personalise over time. Upstairs, there are three bedrooms and a family bathroom, making it a solid option for first-time buyers, families or investors who are comfortable taking on a project. A particularly rare and valuable feature for this style of home is the off-road parking to the rear, providing space for at least two cars, which is a major benefit in a residential setting where parking can often be limited. With no chain and clear potential to modernise throughout, this is a property that suits buyers wanting a straightforward purchase and the chance to create a home to their own taste.

3



1



1







BRENNAN
BESPOKE

OFFICE ADDRESS
BRENNAN BESPOKE
2 The Tithe Barn Glendon Lodge Farm
Glendon
Kettering
Northamptonshire
NN14 1QF

OFFICE DETAILS
01536 904400
info@brennanbespoke.co.uk
<https://www.brennanbespoke.co.uk>



Ground Floor



First Floor

For identification only not to scale

Internal Area Approx. : 85m²

BRENNAN
BESPOKE

LOCAL AUTHORITY
NNC

TENURE
Freehold

COUNCIL TAX BAND
B

VIEWINGS
By prior appointment only

Energy Efficiency Rating		
	Current	Potential
Very energy efficient - lower running costs		
(92 plus) A		
(81-91) B		
(69-80) C		80
(55-68) D	63	
(39-54) E		
(21-38) F		
(1-20) G		
Not energy efficient - higher running costs		
England & Wales	EU Directive 2002/91/EC 	

Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers/tenants are advised to recheck the measurements