



See More Online

MIR: Material Info

The Material Information Affecting this Property

Monday 09th February 2026



THE SPINNEY, BAR HILL, CAMBRIDGE, CB23

Cooke Curtis & Co


40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk






Property

Type:	Detached	Tenure:	Freehold
Bedrooms:	3		
Floor Area:	742 ft ² / 69 m ²		
Plot Area:	0.08 acres		
Council Tax :	Band C		
Annual Estimate:	£2,146		
Title Number:	CB68848		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds
Conservation Area:	No	(Standard - Superfast - Ultrafast)
Flood Risk:		
● Rivers & Seas	Very low	20 mb/s
● Surface Water	Very low	- mb/s
		 

Mobile Coverage:
(based on calls indoors)



Satellite/Fibre TV Availability:



Planning records for: **86 The Spinney Bar Hill CB23 8SU**

Reference - S/1618/18/FL	
Decision:	Decided
Date:	26th April 2018
Description:	ERECTION OF CONSERVATORY TO THE REAR

Planning records for: **98 The Spinney Bar Hill Cambridgeshire CB23 8SU**

Reference - 23/02309/HFUL	
Decision:	Decided
Date:	19th June 2023
Description:	Dormer window extension to front.

Reference - 23/02299/CL2PD	
Decision:	Decided
Date:	19th June 2023
Description:	Certificate Of Lawfulness Under S192 For installation of 3 rooflights to the front and rear elevations of existing roof.

Planning records for: **99 The Spinney Bar Hill Cambridge Cambridgeshire CB23 8SU**

Reference - S/1759/13/FL	
Decision:	Decided
Date:	09th August 2013
Description:	Two storey extension to side and single storey extension to rear

Planning records for: **102 The Spinney Bar Hill Cambridgeshire CB23 8SU**

Reference - 22/01091/REM

Decision: Decided

Date: 07th March 2022

Description:

Reserved matters application for access, appearance, landscaping, layout and scale pursuant to outline application ref 21/00488/OUT (Re-submission of 21/05680/REM).

Reference - 22/01090/HFUL

Decision: Decided

Date: 07th March 2022

Description:


Garage conversion, single storey extension above garage and loft conversion



THE SPINNEY, BAR HILL, CAMBRIDGE, CB23

Ground Floor

Approx. 68.9 sq. metres (741.5 sq. feet)



Total area: approx. 68.9 sq. metres (741.5 sq. feet)

Drawings are for guidance only. www.beachenergy.co.uk - IPMS 2

Plan produced using PlanUp.

THE SPINNEY, BAR HILL, CAMBRIDGE, CB23



Bar Hill, CAMBRIDGE, CB23

Energy rating

C

Valid until 03.02.2036

Score	Energy rating	Current	Potential
92+	A		
81-91	B		
69-80	C		79 c
55-68	D	69 c	
39-54	E		
21-38	F		
1-20	G		

Additional EPC Data

Property Type:	Detached bungalow
Walls:	Cavity wall, filled cavity
Walls Energy:	Good
Roof:	Pitched, 250 mm loft insulation
Roof Energy:	Good
Window:	Fully double glazed
Window Energy:	Poor
Main Heating:	Boiler and radiators, mains gas
Main Heating Energy:	Good
Main Heating Controls:	Programmer, room thermostat and TRVs
Main Heating Controls Energy:	Good
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Below average lighting efficiency
Lighting Energy:	Poor
Floors:	Solid, no insulation (assumed)
Secondary Heating:	None
Air Tightness:	(not tested)
Total Floor Area:	69 m ²

Building Safety

Accessibility / Adaptations

Restrictive Covenants

Rights of Way (Public & Private)

Shared access to block of garages

Construction Type

Brick

Property Lease Information

Listed Building Information

Stamp Duty

Other

Other

Electricity Supply

Gas Supply

Central Heating

Yes

Water Supply

Drainage

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.


Important - Please read

Flood Risk

Surface Water - Flood Risk

CC&C

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Surface Water - Climate Change

CC&C

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Rivers & Seas - Flood Risk

CC&C

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk Rivers & Seas - Climate Change

CC&C

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas

CC&C

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas

1 Madingley

2 Oakington

3 Longstanton

4 Knapwell

5 Hardwick

6 Westwick

7 Coton

8 Histon and Impington

9 Elsworth


10 Howes Place

Maps

Landfill Sites

CC&C

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.




Nearby Landfill Sites

1	Sludge Beds-Cadbury Park Farm, Impington	Historic Landfill	<input type="checkbox"/>
2	Cambridge University Farm-Huntingdon Road, Cambridgeshire	Historic Landfill	<input type="checkbox"/>
3	No name provided by source	Active Landfill	<input checked="" type="checkbox"/>
4	Winship Industrial Estate-Cambridge Road, Milton, Cambridgeshire	Historic Landfill	<input type="checkbox"/>

Maps Coal Mining

CC&C

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✖ Adit
- ✖ Gutter Pit
- ✖ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Council Wards

CC&C

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





Nearby Council Wards

- 1 Bar Hill Ward
- 2 Girton Ward
- 3 Longstanton Ward
- 4 Swavesey Ward
- 5 Hardwick Ward
- 6 Castle Ward
- 7 Histon & Impington Ward
- 8 Cambourne Ward
- 9 Arbury Ward
- 10 Newnham Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content: VARIABLE
Parent Material Grain: MIXED (ARGILLO-
RUDACEOUS)
Soil Group: MEDIUM TO HEAVY




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons

CC&C



Key:


-  Power Pylons
-  Communication Masts

Maps

Listed Buildings

CC&C

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1 1162735 - 15 And 17, Pettits Lane	Grade II	0.4 miles
 2 1127781 - 9 And 11, Pettits Lane	Grade II	0.4 miles
 3 1127782 - Honey Hill Cottage	Grade II	0.4 miles
 4 1162673 - Icehouse, At Rear Of Country Kennels	Grade II	0.5 miles
 5 1127775 - Village Water Pump	Grade II	0.5 miles
 6 1331090 - Post Office Cottages	Grade II	0.5 miles
 7 1162747 - The Spinney	Grade II	0.5 miles
 8 1127777 - The Old Rectory	Grade II	0.6 miles
 9 1127779 - Black Horse Public House	Grade II	0.6 miles
 10 1309499 - Warrington Farm	Grade II	0.7 miles



		Nursery	Primary	Secondary	College	Private
1	Bar Hill Community Primary School Ofsted Rating: Good Pupils: 285 Distance:0.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Dry Drayton CofE (C) Primary School Ofsted Rating: Good Pupils: 68 Distance:0.65	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Oakington CofE Primary School Ofsted Rating: Good Pupils: 102 Distance:2.38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Hardwick and Cambourne Community Primary School Ofsted Rating: Good Pupils: 531 Distance:2.38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Hatton Park Primary School Ofsted Rating: Good Pupils: 415 Distance:2.59	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Gretton School Ofsted Rating: Outstanding Pupils: 141 Distance:2.9	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Girton Glebe Primary School Ofsted Rating: Good Pupils: 183 Distance:2.96	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Caldecote Primary School Ofsted Rating: Good Pupils: 203 Distance:3.01	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




Nursery Primary Secondary College Private

9	Pathfinder CofE Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Not Rated Pupils: 452 Distance:3.06					
10	The Martin Bacon Academy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Not Rated Pupils: 127 Distance:3.13					
11	Northstowe Secondary College	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 622 Distance:3.15					
12	Coton Church of England (Voluntary Controlled) Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Requires improvement Pupils: 106 Distance:3.2					
13	Swavesey Village College	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Outstanding Pupils: 1253 Distance:3.35					
14	Swavesey Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 312 Distance:3.46					
15	Histon Early Years Centre	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 102 Distance:3.73					
16	Histon and Impington Park Primary School	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ofsted Rating: Good Pupils: 344 Distance:3.73					

Area Transport (National)

CC&C




National Rail Stations

Pin	Name	Distance
1	Cambridge Rail Station	6.34 miles
2	Cambridge North Rail Station	6.23 miles
3	Waterbeach Rail Station	7.69 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J14	2.39 miles
2	M11 J13	3.6 miles
3	M11 J12	4.74 miles
4	M11 J11	7.12 miles
5	M11 J10	11.57 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	7.32 miles
2	Stansted Airport	26.84 miles
3	Luton Airport	30.52 miles
4	Silvertown	51.56 miles

Area Transport (Local)

CC&C



Bus Stops/Stations

Pin	Name	Distance
1	Field View	0.09 miles
2	The Spinney	0.06 miles
3	Apple Trees	0.16 miles
4	Little Meadow	0.17 miles
5	Pheasant Rise	0.26 miles

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.

Powered by



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge
CB2 9LS
01223 508 050
jessica@cookecurtis.co.uk
www.cookecurtis.co.uk

