



41 Ashley Road, Hildenborough, Tonbridge, Kent, TN11 9ED

Offers in Excess of £500,000

**Waghorn
&
Company**

Independent Estate Agents

*** Detached Bungalow * Driveway and garage * Utility and craft rooms * Large sitting room, kitchen/breakfast room and dining room * Front and Rear Gardens * EPC Rating D/Council Tax Band E - £2,620.94 P.A ***

Waghorn & Company are delighted to offer for sale this spacious and extended detached bungalow located in the much sought after Brookmead area of Hildenborough. The property offers well appointed family accommodation with salient features including a large rear garden, extended accommodation, gas central heating and double glazing. An early viewing is highly recommended to not only appreciate the location but also the size of accommodation on offer.

Entrance

The front of the property is mainly laid to lawn with a driveway to side and path leading to a part glazed front entrance door leading to entrance porch. Double glazed door leading to rear lobby.

Entrance Porch

Glazed door leading to entrance hall and radiator.

Entrance Hall

Built in cupboard with shelving and doors to bedrooms, kitchen/breakfast room, dining room, bathroom and separate W/C.

Dining Room 8' 7" x 12' 11" (2.61m x 3.93m)

Open plan to lounge with coved ceiling and radiator.

Lounge 16' 2" x 12' 6" (4.92m x 3.81m)

Large double glazed window to rear with two combi tilt and turn windows, double glazed patio door to side and two radiators.

Kitchen/Breakfast Room 24' 0" x 11' 1" (7.31m x 3.38m)

Double glazed window to front and window to side, one and a half bowl sink and drainer with cupboards under and a further range of matching base and wall units, space and plumbing for dish washer, cooker with gas hob and electric oven, space for fridge, utility cupboard housing a Worcester combination boiler (which is serviced annually), open plan to breakfast room and part glazed door to rear lobby.

Rear Lobby

Part glazed door to rear and door to utility room/craft room.

Utility Room 15' 5" x 10' 6" (4.70m x 3.20m)

Door to garage/craft room, part glazed window to rear and part glazed door to rear garden, space and plumbing for washing machine and space for fridge Freezer.

Crafts Room 8' 8" x 8' 5" (2.64m x 2.56m)

Window to rear, power and lighting and radiator.

Garage 8' 8" x 16' 11" (2.64m x 5.15m)

Double wooden doors, power and lighting.





Bathroom 7' 0" x 5' 11" (2.13m x 1.80m)

Double glazed frosted window to front, panelled bath with mixer taps and shower attachment and glass shower screen, chrome towel rail, pedestal hand wash basin and inset halogen spot lights.

Separate W/C 6' 11" x 3' 0" (2.11m x 0.91m)

Double glazed frosted window to front, hand wash basin and low level W/C.

Bedroom 1 11' 1" x 11' 0" (3.38m x 3.35m)

Double glazed window to front, wall light point and radiator.

Bedroom 2 12' 11" x 11' 0" (3.93m x 3.35m)

Secondary glazed window to rear, built in sliding wardrobes and radiator.

Bedroom 3 9' 1" x 7' 10" (2.77m x 2.39m)

Secondary glazed window to rear and radiator.

Rear Garden

The rear garden is mainly laid to lawn with a selection of fruit trees, side pedestrian access and path leading rear. To the rear of the garden is a patio area and timber shed (which we are advised by the current owner is to remain at the property). There is a summer house/office to the rear which has mains power with safety double cut out feature and lighting.

Tenure

Freehold

| Energy Performance Certificate | | |
|--|----------------------|---|
| 41, Ashley Road, Hildenborough, TONBRIDGE, TN11 9BD | | |
| Building type: | Detached house/flat | Reference number: 8636-7926-0060-0011-0002 |
| Date of assessment: | 10 January 2016 | Type of assessment: RATAH existing dwelling |
| Date of certificate: | 20 January 2016 | Total floor area: 102 sq' |
| Use this document to: | | |
| 1. Compare current ratings of properties to see which properties are more energy efficient | | |
| 2. Find out how to reduce energy and water use by making improvement measures | | |
| Estimated energy costs of dwelling for 3 years: | | £ 2,591 |
| Over 3 years you could save: | | £ 663 |
| Estimated energy costs of this home | | |
| Current costs | Potential costs | Potential future savings |
| Lighting | £ 270 over 3 years | £ 183 over 3 years |
| Heating | £ 2,043 over 3 years | £ 2,010 over 3 years |
| Hot Water | £ 254 over 3 years | £ 135 over 3 years |
| Totals | £ 2,567 | £ 328 |
| These figures show how much the average household would spend in this property for heating, lighting and hot water. The absolute energy use for heating appliances like TVs, computers and consoles, and any electricity generated by photovoltaic panels. | | |
| Energy Efficiency Rating | | |
| Very energy efficient - best rating possible | Current | Potential |
| A++ (1-10) | A (35-45) | D (45-55) |
| A+ (11-15) | B (16-22) | E (56-62) |
| A (16-22) | C (23-27) | F (63-68) |
| B (23-27) | D (28-34) | G (69-72) |
| C (28-34) | E (35-38) | H (73-78) |
| D (35-38) | F (39-45) | I (79-82) |
| E (45-55) | G (46-48) | J (83-85) |
| F (63-68) | H (49-51) | K (86-88) |
| G (69-72) | I (52-53) | L (89-90) |
| H (73-78) | J (54-55) | M (91-92) |
| I (79-82) | K (56-57) | N (93-94) |
| J (83-85) | L (58-59) | O (95-96) |
| K (86-88) | M (60-61) | P (97-98) |
| L (89-90) | N (62-63) | Q (99-100) |
| M (91-92) | O (64-65) | R (100-100) |
| N (93-94) | P (66-67) | S (100-100) |
| O (95-96) | Q (68-69) | T (100-100) |
| P (97-98) | R (70-71) | U (100-100) |
| Q (99-100) | S (72-73) | V (100-100) |
| R (100-100) | T (74-75) | W (100-100) |
| S (100-100) | U (76-77) | X (100-100) |
| T (100-100) | V (78-79) | Y (100-100) |
| U (100-100) | W (80-81) | Z (100-100) |
| V (100-100) | X (82-83) | AA (100-100) |
| W (100-100) | Y (84-85) | AB (100-100) |
| X (100-100) | Z (86-87) | AC (100-100) |
| Y (100-100) | AA (88-89) | AD (100-100) |
| Z (100-100) | AB (90-91) | AE (100-100) |
| AA (100-100) | AC (92-93) | AF (100-100) |
| AB (100-100) | AD (94-95) | AG (100-100) |
| AC (100-100) | AE (96-97) | AH (100-100) |
| AD (100-100) | AF (98-99) | AI (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | AA (100-100) |
| AI (100-100) | AB (100-100) | AB (100-100) |
| AA (100-100) | AC (100-100) | AC (100-100) |
| AB (100-100) | AD (100-100) | AD (100-100) |
| AC (100-100) | AE (100-100) | AE (100-100) |
| AD (100-100) | AF (100-100) | AF (100-100) |
| AE (100-100) | AG (100-100) | AG (100-100) |
| AF (100-100) | AH (100-100) | AH (100-100) |
| AG (100-100) | AI (100-100) | AI (100-100) |
| AH (100-100) | AA (100-100) | |

Measurement Disclaimer: Waghorn & Company has made every effort to ensure that measurements, details and particulars within our property details are accurate. However they are only an approximate general guide and the property particulars are produced in accordance with the property misdescriptions act (1991) and should not be construed as a contract or offer. Any lease, ground rent, photographs, service charge and distance details cannot be guaranteed for accuracy and as such they should be checked by a solicitor prior to exchange of contracts.

Services disclaimer: The mention of any appliances and or services within these details does not imply they are in working order nor have we sort any certification of warranty or service Waghorn & Company is a trading name of Waghorn & Company Limited Registered in England at the above address Company number 07243982

