



See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 02nd December 2025



SILVER STREET, BARDNEY, LINCOLN, LN3

Mundys

29 – 30 Silver Street Lincoln LN2 1AS

01522 510 044

hymie.bentley@mundys.net

www.mundys.net













Powered by
aprift
Know any property instantly



Property

| | | | |
|------------------|--|---------|----------|
| Type: | Detached | Tenure: | Freehold |
| Bedrooms: | 2 | | |
| Floor Area: | 1,377 ft ² / 128 m ² | | |
| Plot Area: | 0.25 acres | | |
| Council Tax : | Band D | | |
| Annual Estimate: | £2,280 | | |
| Title Number: | LL346379 | | |

Local Area

| | | | |
|---|---|---|---|
| Local Authority: | Lincolnshire | Estimated Broadband Speeds | |
| Conservation Area: | No | (Standard - Superfast - Ultrafast) | |
| Flood Risk: | | | |
| ● Rivers & Seas | Very low | 19 mb/s | 76 mb/s |
| ● Surface Water | Very low | | - mb/s |
| | |  |  |
| | | |  |
| Mobile Coverage: | | Satellite/Fibre TV Availability: | |
| (based on calls indoors) | | | |
|  |  |  |  |
| O ₂ | EE | |  |
|  |  | | |
| 3 | O2 | | |




Important - Please read

The size of the plot will differ from some of the plans shown within this report. The original plot has been split to create an additional plot. You should ensure that you view the property and check the boundary positions prior to submitting a tenancy application.

Flood Risk

Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




MIR - Material Info

Maps

Conservation Areas







This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



| Nearby Conservation Areas | |
|---------------------------|----------------|
| 1 | Potterhanworth |
| 2 | Heighington |
| 3 | Reepham |
| 4 | Branston |

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



| Nearby Landfill Sites | | |
|-----------------------|--|---|
| 1 | EA/EPR/SP3298NW/A001 - British Sugar Plc | Active Landfill  |
| 2 | Moor Lane-Branston Booths, Lincoln | Historic Landfill  |
| 3 | Land to the North of Fen Road-Heighington, Lincoln | Historic Landfill  |

Maps

Coal Mining



This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Council Wards





The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



| Nearby Council Wards | |
|----------------------|-------------------------------------|
| 1 | Bardney Ward |
| 2 | Branston Ward |
| 3 | Roughton Ward |
| 4 | Metheringham Ward |
| 5 | Cherry Willingham Ward |
| 6 | Heighington and Washingborough Ward |
| 7 | Wragby Ward |
| 8 | Woodhall Spa Ward |
| 9 | Horncastle Ward |


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

| | | | |
|-------------------------------|----------------------------|----------------------|---------------------|
| Carbon Content: | VARIABLE | Soil Texture: | LOAM TO CLAYEY LOAM |
| Parent Material Grain: | MIXED (ARGILLIC-RUDACEOUS) | Soil Depth: | DEEP |
| Soil Group: | MEDIUM TO HEAVY | | |




Primary Classifications (Most Common Clay Types)



| | |
|---------------|--|
| C/M | Claystone / Mudstone |
| FPC,S | Floodplain Clay, Sand / Gravel |
| FC,S | Fluvial Clays & Silts |
| FC,S,G | Fluvial Clays, Silts, Sands & Gravel |
| PM/EC | Prequaternary Marine / Estuarine Clay / Silt |
| QM/EC | Quaternary Marine / Estuarine Clay / Silt |
| RC | Residual Clay |
| RC/LL | Residual Clay & Loamy Loess |
| RC,S | River Clay & Silt |
| RC,FS | Riverine Clay & Floodplain Sands and Gravel |
| RC,FL | Riverine Clay & Fluvial Sands and Gravel |
| TC | Terrace Clay |
| TC/LL | Terrace Clay & Loamy Loess |

Local Area

Masts & Pylons



Key:

-  Power Pylons
-  Communication Masts











Maps

Listed Buildings




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




| Listed Buildings in the local district | Grade | Distance |
|--|----------|-----------|
|  1440928 - Bardney War Memorial | Grade II | 0.2 miles |
|  1359501 - Peter Hancock's Hospital | Grade II | 0.2 miles |
|  1308446 - 16, Silver Street | Grade II | 0.2 miles |
|  1064013 - Manor House | Grade II | 0.3 miles |
|  1147650 - Barn At Manor House | Grade II | 0.3 miles |
|  1064014 - Gateway And Garden Wall At Manor House | Grade II | 0.3 miles |
|  1359500 - Church Of St Lawrence | Grade I | 0.3 miles |
|  1064012 - The Old Museum | Grade II | 0.3 miles |
|  1064011 - Abbey Lodge Farmhouse | Grade II | 0.4 miles |
|  1359527 - Railway Goods Shed | Grade II | 0.7 miles |

This map displays nearby areas that have been designated as Green Belt...












Nearby Green Belt Land

No data available.




| | | Nursery | Primary | Secondary | College | Private |
|----------|---|--------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|
| 1 | Bardney Church of England and Methodist Primary School Ofsted Rating: Good Pupils: 188 Distance:0.1 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2 | Fiskerton Church of England Primary School Ofsted Rating: Good Pupils: 89 Distance:2.32 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3 | Bucknall Primary School Ofsted Rating: Good Pupils: 26 Distance:2.94 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4 | The Potterhanworth Church of England Primary School Ofsted Rating: Good Pupils: 137 Distance:4.74 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5 | Nocton Community Primary School Ofsted Rating: Good Pupils: 38 Distance:5.23 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6 | Wragby Primary School Ofsted Rating: Good Pupils: 175 Distance:5.39 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7 | Dunston St Peter's Church of England Primary School Ofsted Rating: Good Pupils: 66 Distance:5.49 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8 | St Andrew's CofE Primary School Ofsted Rating: Good Pupils: 295 Distance:5.65 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |



| | | Nursery | Primary | Secondary | College | Private |
|---|---|--------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
|  | Heighington Millfield Primary Academy Ofsted Rating: Good Pupils: 233 Distance:5.89 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | Reepham Church of England Primary School Ofsted Rating: Good Pupils: 204 Distance:5.92 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | Mrs Mary King's CofE (Controlled) Primary School Ofsted Rating: Good Pupils: 98 Distance:5.99 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | St Hugh's School Ofsted Rating: Not Rated Pupils: 151 Distance:6.1 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | Cherry Willingham Primary Academy Ofsted Rating: Good Pupils: 205 Distance:6.15 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | The Metherringham Primary School Ofsted Rating: Good Pupils: 273 Distance:6.17 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | The Priory Pembroke Academy Ofsted Rating: Good Pupils: 567 Distance:6.21 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|  | Branston Junior Academy Ofsted Rating: Good Pupils: 170 Distance:6.28 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |


Area

Transport (National)



National Rail Stations

| Pin | Name | Distance |
|-----|------------------------------|------------|
| 1 | Metherringham Rail Station | 5.83 miles |
| 2 | Metherringham Rail Station | 5.83 miles |
| 3 | Lincoln Central Rail Station | 9.21 miles |



Trunk Roads/Motorways

| Pin | Name | Distance |
|-----|---------|-------------|
| 1 | M180 J5 | 26.2 miles |
| 2 | M180 J4 | 25.07 miles |
| 3 | M180 J3 | 28.99 miles |
| 4 | M180 J2 | 32.25 miles |
| 5 | M180 J1 | 37.45 miles |




Airports/Helipads

| Pin | Name | Distance |
|-----|------------------------|-------------|
| 1 | Humberside Airport | 25.78 miles |
| 2 | Finningley | 34.13 miles |
| 3 | East Mids Airport | 49.76 miles |
| 4 | Leeds Bradford Airport | 71.49 miles |

Area


Transport (Local)



Bus Stops/Stations

| Pin | Name | Distance |
|-----|------------------------|------------|
| 1 | Harvey Kent Gardens | 0.11 miles |
| 2 | Black Horse PH | 0.19 miles |
| 3 | Field Lane | 0.3 miles |
| 4 | Post Office | 0.22 miles |
| 5 | Demand Responsive Area | 0.27 miles |

Local Area Road Noise



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Mundys

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Mundys

29 – 30 Silver Street Lincoln LN2 1AS

01522 510 044

hymie.bentley@mundys.net

www.mundys.net

