

BRENNAN

BESPOKE

OFFERS IN EXCESS OF

£220,000

Station Road

Kettering, NN15 5NX

PROPERTY SUMMARY

A charming and beautifully presented three bedroom Victorian bay fronted home in Burton Latimer, full of character and offering a wonderful blend of period features and modern finishes. Stylishly decorated in rich, tones, the property has a gorgeous feel throughout and is finished with real care and attention.

The ground floor features a spacious through lounge diner, with a stunning bay window to the front and French doors opening out to the rear garden, creating a fantastic space for both relaxing and entertaining. Character features are a real highlight here, with a log burner and an additional fireplace adding warmth and timeless appeal.

To the rear, there is a large galley style kitchen offering plenty of worktop and storage space, ideal for keen cooks and busy households alike. Completing the ground floor is a beautifully refitted four piece family bathroom, finished to a high standard and designed for comfort, featuring a freestanding bath and a generous double shower.

Upstairs, the first floor offers two large double bedrooms, a further single bedroom, and the added convenience of a separate WC.


3



1



1






BRENNAN BESPOKE

OFFICE ADDRESS

BRENNAN BESPOKE
2 The Tithe Barn Glendon Lodge Farm
Glendon
Kettering
Northamptonshire
NN14 1QF

OFFICE DETAILS

01536 904400
info@brennanbespoke.co.uk
<https://www.brennanbespoke.co.uk>



For identification only not to scale

Internal Area Approx. :1238 ft²


BRENNAN
BESPOKE

LOCAL AUTHORITY
North Northamptonshire

TENURE
Freehold

COUNCIL TAX BAND
A

VIEWINGS
By prior appointment only



Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers/tenants are advised to recheck the measurements