

Energy performance certificate (EPC)

3, Pydar Mews
TRURO
TR1 2UX

Energy rating

B

Valid until: **25 March 2029**

Certificate number: **0270-9943-0381-3610-4004**

Property type

A1/A2 Retail and Financial/Professional services

Total floor area


13 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	20 A
If typical of the existing stock	58 C

Breakdown of this property’s energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	96.64
Primary energy use (kWh/m2 per year)	572

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/9930-4017-0418-0400-6325\)](/energy-certificate/9930-4017-0418-0400-6325).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Mark Rees
Telephone	01872 277666
Email	mark@epsw.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/012665
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Energy Performance SW Ltd
Employer address	18 St Clements Terrace, Truro, Cornwall TR1 1HN
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	26 March 2019
Date of certificate	26 March 2019
