

Energy performance certificate (EPC)

410, The Point
Birchwood Boulevard
Birchwood
Warrington
WA3 7WD

Energy rating

D

Valid until:

4 October 2033

Certificate number:

6314-5272-6983-4579-9037

Property type

Offices and Workshop Businesses

Total floor area


3,360 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

15 A

If typical of the existing stock

60 C

Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Air Conditioning
Assessment level	4
Building emission rate (kgCO ₂ /m ² per year)	26.73
Primary energy use (kWh/m ² per year)	198

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/6129-9346-4723-6922-9097\)](https://energy-certificate/6129-9346-4723-6922-9097).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	James Spinks
Telephone	02073077500
Email	j.spinks@fhpeess.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/012277
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	FHPESS
Employer address	7th Floor Cornerblock 2 Cornwall Street
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	3 October 2023
Date of certificate	5 October 2023
