

Energy performance certificate (EPC)

74 High Street
Hadleigh
BENFLEET
SS7 2PB

Energy rating

B

Valid until:

2 February 2035

Certificate number: **7409-9305-1903-6576-5181**

Property type **Retail/Financial and Professional Services**

Total floor area **70 square metres**

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is B.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

1 A

If typical of the existing stock

3 A

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	14.12
Primary energy use (kWh/m ² per year)	149

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/2806-9195-5400-5123-3393\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Kevin Pennock
Telephone	01376 571907
Email	heronpropertys@gmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/003634
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Heron Property Services
Employer address	1, Heron Road, Kelvedon, Colchester, Essex. CO5 9NE
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	3 February 2025
Date of certificate	3 February 2025