

Energy performance certificate (EPC)

Unit 16 Logan Road BIRKENHEAD CH41 1JJ	Energy rating	Valid until: 25 April 2036
	C	Certificate number: 4832-3260-5070-6021-9332

Property type	Offices and Workshop Businesses
Total floor area	98 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built	16 A
If typical of the existing stock	64 C

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	6
Primary energy use (kWh/m ² per year)	65

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0851-1820-2780-9758-5333\)](/energy-certificate/0851-1820-2780-9758-5333).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	James McSorley
Telephone	07812 345 153
Email	jms@energy-rating.org

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/016017
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Energy Rating Services Ltd
Employer address	5 Beconsall lane Hesketh bank PR4 6RR
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	22 April 2026
Date of certificate	26 April 2026