

Energy performance certificate (EPC)

Highcliffe Medical Practice
14 Hermitage Road
Higham
ROCHESTER
ME3 7DB

Energy rating

C

Valid until:

15 February 2028

Certificate number:

0270-0738-1319-5592-3002

Property type

D1 Non-residential Institutions - Primary Health Care Building

Total floor area

305 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built



If typical of the existing stock



Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	54.42
Primary energy use (kWh/m2 per year)	318

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0395-9721-1540-2300-7803\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Simon Cole
Telephone	07990 967030
Email	simonjacole@gmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/012641
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Easy EPC
Employer address	12 Albion Street Brighton East Sussex BN2 9NE
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	12 February 2018
Date of certificate	16 February 2018